

chessboard: A package to print chessboards

Ulrike Fischer

November 7, 2024

Contents

- 1 Changes** **1**

- 2 Introduction** **2**
 - 2.1 Bugs and errors 3
 - 2.2 Requirements 4
 - 2.3 Installation 4
 - 2.4 Robustness: using `\chessboard` in moving arguments 4
 - 2.5 Setting the options 5
 - 2.6 Saving optionlists 7
 - 2.7 Naming the board 8
 - 2.8 Naming areas of the board 8
 - 2.9 FEN: Forsyth-Edwards Notation 9
 - 2.10 The main parts of the board 9

- 3 Setting the contents of the board** **10**
 - 3.1 The maximum number of fields 10
 - 3.2 Filling with the package `skak` 11

3.3	Clearing	12
3.4	Adding single pieces	12
3.5	Adding FEN-positions	13
3.6	Saving positions	15
3.7	Getting the positions of pieces	16
3.8	Using saved and stored games	16
3.9	Restoring the running game	17
3.10	Changing the input language	18
4	The look of the board	19
4.1	Units for lengths	19
4.2	Some words about box sizes	19
4.3	Margins	20
4.4	Borders	21
4.5	The size of the boardfont	23
4.6	Changing the boardfont	23
4.7	Coloring and emphasizing the board chars	25
4.7.1	In short	25
4.7.2	Introduction: About composed chars and encodings	25
4.7.3	Setting the default colors of the board	28
4.7.4	Applying the colors to the whole board	29
4.7.5	Emphasising and coloring individual areas	30
4.7.6	Transparency/opacity	32
4.8	Labels	32
4.9	The mover	35
5	Controlling the printing	38
5.1	Printing partial boards	38
5.2	Rotating the board	39
5.3	Hiding the content of the board	39
5.3.1	Hiding the content of fields	39
5.3.2	Hiding piecetypes	40
5.3.3	Showing the content of fields	41
5.3.4	Showing piecetypes	41
6	“Decoration”: Colors, background, fancy borders, highlighting	42
6.1	The <i>tikz</i> -pictures	43
6.1.1	Naming of the <i>pgf</i> related keys	43
6.1.2	Executing the drawing commands	44
6.1.3	Drawing on and under fields	45
6.1.4	Drawing on regions	46
6.1.5	Drawing move related	47
6.1.6	Choosing what is drawn: <i>pgf</i> styles	48
6.1.7	Introduction to the predefined <i>pgf</i> styles	49

6.1.8	Setting graphic properties	54
6.1.9	A special shortcut key for background border	59
6.1.10	Special shortcut keys for background color	60
6.1.11	Clearing the pgf-pictures	61
6.1.12	Clipping the pgf pictures	63
6.1.13	Trimming	64
6.2	Using a graphic as background	68
6.3	Using the commands of the package skak	69
6.4	Intelligent highlighting	70
7	Extending the game	70
7.1	Adding new pieces	70
7.2	Using <code>\chessboard</code> for other games	71
8	Compability with other packages	72
8.1	skak	72
8.2	texmate	72
8.3	beamer	72
8.4	animate	73

1 Changes

Attention!

From version 1.5 on the documentation uses the (new) package `xskak` instead of `skak`. The most notable difference is that in some examples `\newchessgame` instead of `\newgame` is used. But in most cases all examples should work with `skak` alone too. The package `xskak` adds quite a lot new keys to `\chessboard` to show arbitrary positions from previously parsed games. Read its documentation if you want to use them.

In version 1.3 I made a lot of changes. I tried to preserve the behaviour of existing keys and commands. But is possible that older documents will look different when processed with this version.

Notably two things can give problems: The value of the `padding` key now affects much more objects (marks) in the `pgf` pictures. So it could be necessary to reset the `padding`. And the `applycolor` has changed its behaviour. It will now also affect the foreground picture.

2024-11-07 (Version 2.0) The background and foreground pictures are now `tikz`-pictures and no longer basic `pgf`-pictures. This allows to use all `tikz`-commands and so makes drawing and style definitions easier.

2020-11-01 (Version 1.9) Corrected a bug reported by Phelype Oleinik. `colorbackareas` (and other area keys) didn't process lists of areas correctly.

- 2019-06-23 (Version 1.8)** Uploaded the source of the documentation to ctan. No longer use `\arabic` internally, to avoid problems with packages redefining the command. (Issue #1).
- 2011-03-17 (Version 1.7)** Changed definition of the triangle mover style. It now uses `tikz` and no longer `amssymb`. `chessboard` no longer loads `amssymb` (it clashes with `xunicode`).
- 2011-03-13 (Version 1.7)** Corrected a bug with spacing when the `amsart` is used.
- 2008-11-27 (Version 1.6)** Corrected a bug in `getpiecelists` (empty lists were undefined).
- 2007-12-11 (Version 1.5)** Added the key `getpiecelists` to retrieve the positions of pieces. Quite a lot new keys to show arbitrary positions from previously parsed games are added by the package `xskak`. Read its documentation if you want to use them.
- 2007-08-20 (Version 1.5)** Added `curvemove-style` to draw moves. Corrected some bugs. Changed a lot internally to adapt the package to `xskak.sty`.
- 2007-07-03 (Version 1.4)** Rewrote the code that process the keys saved globally (with `\chessboard`) and in styles (with `\storechessboardstyle`) to go around a problem due to a change in `xkeyval 2.5`. Corrected some errors in the documentation.
- 2006-07-20 (Version 1.3)** Rearranged and rewrote the keys and commands for the `pgf-pictures`. Now all styles and marks can be used in both pictures. Added definitions for partial borders. Extended `trim` and `clip` commands. `xifthen` is now required.
- 2006-06-22** Added keys for fancy borders, added local commands for the `boardarea` and the `printarea`. Disabled the option `skaknew` as it not longer works in the package `chessfss`.

2 Introduction

What it does

`\chessboard` This package offers a command `\chessboard[⟨key=value list⟩]` to print boards of chess positions and similar games. It is intended to replace the `\showboard` command of the package `skak` which has some deficiencies:

- To print a special position one always has to type the complete FEN.
- It frames all boards with a rule of 1pt – which is okay for a large board but doesn't look good on small boards.
- It's difficult (up to impossible) to color some squares.
- Even for simple markings like crosses or the mover the package `skak` use `postscript`. That makes it difficult to use `pdfLATEX`.
- It's difficult to print partial boards.

- It's difficult (up to impossible) to print boards with exotic pieces e.g. fairy chess.
- It's impossible to print boards with unusual dimension or unusual labels used by other games e.g. 10×10 boards with numbers instead of characters.
- The labels at the bottom changes the baseline which makes it difficult to align boards.
- Some commands e.g., `\notationoff` of the package `skak` redefines `\skakboard`, so it is difficult to patch the command e.g. to get larger margins.

With the package `chessboard` you have now full control about size, content and look of the board. I have tried to make `\chessboard` as flexible as possible. So I added a lot of options to change values that control the size, layout and filling of the board. In most cases you can ignore them but being able to change them can come handy if you need something unusual.

But I didn't tried to stretch flexibility too much. The main aim of the package is to print chessboards easily, so e.g. the inputs use the naming conventions of chess. That means that – as the files are numbered alphabetically – the width of the board is restricted to 26 fields (27 with option `zero`). The board is build with alternating black and white fields, changing to e.g. three colors could be difficult. The pieces are named with simple ASCII-chars, so the number of different pieces is restricted. (It is perhaps possible to define `piecenames` consisting of two or more chars, and to use such names by putting braces around the chars e.g., `{KK}a3`. A small test worked fine for me, but I wouldn't bet that it really works everywhere.)

What it doesn't

The package `chessboard` doesn't offer commands to type captions or titles or a list of the chessboards. There are no options that control the placement of the board in the text flow, e.g. to center it or to let it float. This is a design decision. `\chessboard` prints only chessboards like `\includegraphics` inserts only graphics.

2.1 Bugs and errors

I'm quite sure that they are bugs and errors in the package. I did find some quite horrible while making the documentation and I'm sure I overlooked some. E.g. I have a lot of doubts if spaces and braces in keys saved in a style or with `\setchessboard` are handled correctly in every case.

If you have questions ask them in the newsgroups `comp.text.tex` or `de.comp.text.tex`. I'm reading these groups regularly and I'm much better in answering there than in answering e-mails.

If you find errors in this text (this includes wrong english) or in the package, you can write me a bugreport at `skak@nililand.de`. A bugreport should contain a complete *minimal* example and the log-file of the pdf \LaTeX run (this is the engine that makes a pdf!).

Before sending a bug record check the following things:

If you get mysterious error messages

- Check the commas in the *key=value lists*.

Missing or faulty pgf-decorations

- Check if the borders or marks are hidden under other decorations or under board chars with solid fieldmasks.
- Check if trimming is responsible: try the key `trim=false`.
- Check the state of the key `pgf`.
- Try another previewer, zoom in and out, print the document.
- Go through your log-file and search for chessboard warnings.

2.2 Requirements

The package `chessboard` uses some primitives of e \TeX . It needs a recent version of the package `chessfss` (chess font selection), `xkeyval` (*key=value-syntax*) and `xifthen`. It also needs the packages `pgfcore`, `pgfbaseshapes` (from `pgf` for the highlighting commands), `pst-node` (from `pstricks`).

2.3 Installation

Run `chessboard.ins` through \LaTeX and then put the four `.sty`-files somewhere where \LaTeX finds them. `<texmf>/tex/latex/chessboard/` is a good place. Update the filename database.

2.4 Robustness: using `\chessboard` in moving arguments

I have used `\chessboard` in tabulars and in moving arguments. It seems to work fine, so I would say the command is quite robust.

Putting chessboards in the table of contents or the header will in most case not look very good, so it is sensible to avoid it with `\section[short text]{\chessboard Title}`. But if you want to do some advices:

- Boards in the title and in the table of contents are built at different times during the run, when perhaps different options and different games are active, so they can look different if you are not careful.
- You can't put boards in the bookmarks of a pdf, use `\texorpdfstring` from `hyperref` to provide a replacement.

- Some pagestyles puts a command to uppercase around the header. This affects keys in the optional argument of `\chessboard` and will give error messages about undefined keys. Try to surround the `\chessboard` command with `\lowercase{...}`.

2.5 Setting the options

The package `chessboard` use the `keyval` syntax `<key>=<value>`.

It differs in some respects to other packages with `keyval` syntax:

- There are really *very* much keys.
- Some keys don't set properties of a board (like a width) but *do* things like drawing.
- The order of the keys can matter.
- Some effects are achieved by using two or more keys after one other.

There are keys that need a certain type of argument, e.g. a length or a list of fields. There are boolean keys that accept only the values `=true` and `=false` where the value `=true` can always be omitted. And at last there are keys that works as *commands*, you can use whatever argument you want or leave it blank. Don't confound this commands with boolean keys. E.g. `clearboard`, `clearboard=hallo` and even `clearboard=false` will always clear the board.


I'm struggling permanently with the naming of the keys. Giving them names that are not too long, but descriptive and a bit systematic isn't easy. Also it isn't easy to decide if a special effect should be achieved with one key (which gives a short input) or with a combination of keys (with is more flexible as it can be used to implement similar effects but gives longer input). While the package evolved I sometimes tumbled in problems and inconsistencies of the current naming scheme and had to reconsider my decisions and implemented better names or new key combinations. I didn't delete or disable older, now perhaps obsolete keys in any case, as I wanted to avoid that older documents breaks. I also sometimes add a key that is simply a copy of an existing key only to get a more consistent naming. So it's quite possible that you can get the same result with different key combination. For a lot of things there isn't one correct way – you can choose the one which suits you more.

It's easy to make mistakes when using a lot of keys. So if you get mysterious errors check that you don't have forgot a comma between the keys, that you put braces around lists used as value, that you didn't use a backslash before a key, that you didn't used a list of fields when a list of pieces is requested.

`\setchessboard` You can set an option either for one board by using the optional argument of `\chessboard` or by using `\setchessboard{<key=value list>}` which sets the keys for all following boards in the same environment/group.

Default setting in this Dokumentation:

```
Default setting in this Dokumentation:  
\setchessboard{  
  smallboard,  
  showmover=false}  
\newchessgame  
\chessboard
```



Even if they share the same name, keys used in the argument of `\chessboard` are implemented differently than the keys used in `\setchessboard`. They do different things: In the first case the key gets “executed” while in the second case the *key=value* pair is only stored for later use. So it is quite possible that a key works with `\chessboard` but fails because of a bug when used in `\setchessboard` or vice-versa.

Values set by keys in the argument of `\chessboard` will if appropriate overwrite the ones set by `\setchessboard`.

The keys belong roughly to two classes: There are the keys that set one property of the board, e.g. the width of a rule or the size. Such keys always have a default and only the last value set is used, it overwrites all previous values. Internally I call such keys “set-keys”. In the second class there are keys that can be used more than once, e.g. keys that add a piece or a mark or a color to the board. I call such keys “fill-keys”.¹

The “set-keys” are always processed first. Inside the classes the keys are processed in general from “left to right”, so later keys can overwrite values set by earlier keys. This is also true for values hidden in a style.

For each “set-key” you will find in this documentation a box like this:

```
zero=<true|false>           zero=false, zero           false
```

It shows on the left the general description of the possible values, in the middle one or more examples of correct input, and on the right the default value.

For each “fill-key” you will find in this documentation a box like this:

```
clearranks=<list of ranks>   clearranks=8
```

It shows on the left the general description of the possible values and on the right one or more examples of correct input.

¹I did realize only quite late that using keys not only to set some parameters but also for the real content is a bit unusual. It is a bit as if one would use keys for the items of a list or the lines of tabular or the code in a listing – in most cases quite a bad idea. But at my opinion it works fine in this special case because a chessboard is a quite restricted room with only 64 fields.

2.6 Saving optionlists

`style=<name>`

`style=mystyle`



`\storechessboardstyle` With the `\storechessboardstyle{<name>}{<key=value list>}` it is possible to store a list of *key=value*-pairs in a “style” and to use this style instead of the keys themselves.

```
\storechessboardstyle{10x10}{%
maxfield=j10,
clearboard,
startfen=b9,
restorefen=current,
labelleftwidth=1.5ex}

\storechessboardstyle{red-yellow}{%
boardfontencoding=LSBC3,
whitepiececolor=red,
blackpiececolor=yellow,
setfontcolors}

\setchessboard{style=red-yellow}
\newchessgame
\chessboard

\chessboard[style=10x10]
```




Attention

`\storechessboardstyle` and `\setchessboard` only store the *key=value* pair, they don't expand anything and they don't do anything with them. So be careful when using commands that could be redefined later:

```

\def\mylist{Ke1, qe2, kf3}
\setchessboard{setpieces=\mylist}
\def\mylist{Ke1, ra1, ke3}
\chessboard

```



2.7 Naming the board

In chess the rows of the board are called *ranks* and are numbered from 1 to 8. The columns are called *files* and are “numbered” from a to h.²

The package chessboard use this naming conventions for all inputs: Every time *<field>* is used in this documentation, you should give a char from a–z followed by a number.

2.8 Naming areas of the board

Rectangular areas are normally described by giving the coordinates of the left bottom corner and the right upper corner. But when using the Forsyth Edwards Notation (FEN) chessboards are filled starting from the left upper corner a8 and then going on to the right and down to the right bottom corner – like the normal typesetting direction. So it is quite natural to use for FEN related areas this corners. As it would be awkward to have two different ways to describe areas, I decided to use the fen convention everywhere: Each area has a *startfield*, the left upper corner, and a *stopfield*, the right bottom corner. If some area related keys don’t seem to work, check that you have used the correct corners!

An area can also be given as two fields separated by an hyphen. When using this input you don’t have to worry about the corners, the package will sort them:

<area>= <a corner>- <the opposite corner>.

`\printarea` `\chessboard` sets at the start this two command to the current values of the `printarea` and the total board as given by the keys `zero`, `maxfield` and `printarea`. You can use this commands in later keys.

²I have some difficulties to remember the english names, so I use the following mnemonics: **Fi**Le = **co**Lumn = **Lin**ie = **a**lFabet, **R**ank = **R**ow = **Rei**he = numbe**R**ed

2.9 FEN: Forsyth-Edwards Notation

FEN describes a chess position. It consists of 6 fields, separated by spaces. The first field represents the placement of the pieces on the board. The second field represents the active color. A lower case “w” is used if White is to move; a lower case “b” is used if Black is the active player. The third field represents castling availability. The fourth field is the en passant target square. The fifth field is a nonnegative integer representing the halfmove clock. The sixth and last field is a positive integer that gives the fullmove number.

In the first field the board contents are specified starting with the eighth rank and ending with the first rank (“in typesetting direction” when the board has the standard orientation). For each rank, the squares are specified from file a to file h. White pieces are identified by uppercase piece letters (“PNBRQK”) and black pieces are identified by lowercase piece letters (“pnbrqk”). Empty squares are represented by the digits one through eight; the digit used represents the count of contiguous empty squares along a rank. A solidus character “/” is used to separate data of adjacent ranks.

`\chessboard` handles FEN-input but also only “FEN-like”-input. If given a complete FEN `\chessboard` will store all fields in commands and evaluate the first field to fill the board. But if they are less than six fields, `\chessboard` will not complain but simply fill up the missing fields with some default values.

In the first field there don’t need to be exact 8 pieces in each rank and exactly 8 rank descriptions. When there are more pieces than needed, `\chessboard` will ignore them. When there are less pieces than needed then `\chessboard` will leave the remaining fields in this rank untouched.

The FEN can also be stored in a command. So all `\chessboard` will accept all the following inputs as $\langle FEN \rangle$:

```
rnbqkbnr/pppppppp/8/8/8/8/PPPPPPPP/RNBQKBNR w KQkq - 0 1
rnbqkbnr/pppppppp/8/8/8/8/PPPPPPPP/RNBQKBNR
8qK
10 w - - 0 10
\myfen
```

2.10 The main parts of the board

Each chessboard is built by printing three “layers” on top of each other:

1. The background layer

This is a *tikz*-picture that lies under the board. It can be used for background colors or fancy borders or other background decoration.

2. The main board layer

This is the main part of the board. It lies above the background picture. It uses only “normal” \TeX objects like rules and chars. Labels, movers and figures are all build together in this layer.

3. The mark layer

This layer is again a *tikz*-picture now over the board. It can be used to draw crosses, arrows etc on the board.

The sections 3 to 5 describe how to manipulate the main layer. The section 6 describes how to handle the *tikz*-picture.


3 Setting the contents of the board

3.1 The maximum number of fields


```
maxfield=<field>                maxfield=j10                h8
```

Chessboards have 8×8 fields. So this is the default. If you want another size you should declare a new right upper corner with `maxfield=<Field>` e.g., `maxfield=j10` for a 10×10 board. Don't use this key if you want only to print a partial board, there is another key to achieve this. Use it to change the maximum size of a board. All fields and areas you use in other arguments should lie inside this maximum size.

```
\newchessgame
\chessboard[tinyboard,
  maxfield=f6]
```



```
\newchessgame
\chessboard[tinyboard,
  maxfield=j10,
  labelleftwidth=2ex]
```




`zero=<true|false>`

`zero=false`

`false`

I was told that some games numbers the fields starting with 0. So I added this option. When set to true the rank numbers start with 0 and a file named Z is added left to the file a.

```
\newchessgame
\chessboard[zero,
  labelbottomformat=\arabic{filelabel},
  addpieces={KZ0, QZ8}]
```




3.2 Filling with the package skak

When the package skak is loaded and there is a running game, `\chessboard` will fill the board with the current position.

1 e4 e5 2 ♘f3 ♘c6 3 ♙b5 a6

```
\newchessgame
\mainline{1. e4 e5 2. Nf3 Nc6 3. Bb5 a6}
\chessboard
```




3.3 Clearing

<code>clearboard=<arbitrary></code>	<code>clearboard</code>
<code>cleararea=<area></code>	<code>cleararea=a1-c3</code>
<code>clearareas=<list of areas></code>	<code>clearareas={a1-c3,g7-h8}</code>
<code>clearfile=<file></code>	<code>clearfile=g</code>
<code>clearfiles=<list of files></code>	<code>clearfiles={g,h}</code>
<code>clearrank=<rank></code>	<code>clearrank=5</code>
<code>clearranks=<list of ranks></code>	<code>clearranks={8,7}</code>
<code>clearfield=<field></code>	<code>clearfield=c6</code>
<code>clearfields=<list of fields></code>	<code>clearfields={b5,c6}</code>

You can't prevent that `\chessboard` fills up the board with the running game, so if you need an empty board, you should clear it – either with the keys mentioned here, or by using one of the keys described later that clears the board before adding new pieces.

1 e4 e5 2 ♘f3 ♗c6 3 ♘b5 a6

```
\newchessgame
\mainline{1. e4 e5 2. Nf3 Nc6 3. Bb5 a6}
\def\ranklist{7 ,6 }
\def\cleararea{a1-b2}
\chessboard[clearfiles=g,
  clearranks=\ranklist,
  cleararea=\cleararea,
  clearfields={b5,c6}]
```




3.4 Adding single pieces

<code>setpieces=<List of piece positions></code>	<code>setpieces={Ke4, Qe1, kd6}</code>
<code>addpieces=<List of piece positions></code>	<code>addpieces={Ke4, Qe1, kd6}</code>

The `setpieces` first clears the board and then set the pieces, the `addpieces` only set the new pieces but lets the existing pieces undisturbed.

1 e4 e5 2 ♘f3 ♗c6 3 ♕b5 a6

```
\newchessgame
\mainline{1. e4 e5 2. Nf3 Nc6 3. Bb5 a6}
\def\piecelist{Ke1,Qd1 , Rg1}
\chessboard[setpieces={ra1, rh8, ke8},
  addpieces=\piecelist]
```



setwhite=<List of piece positions>

setwhite={Ke4, Qe1, kd6}

addwhite=<List of piece positions>

addwhite={Ke4, Qe1, kd6}

setblack=<List of piece positions>


setblack={Ke4, Qe1, kd6}

addblack=<List of piece positions>

addblack={Ke4, Qe1, kd6}

It is a bit cumbersome to have to be careful to use uppercase chars for the white and lowercase chars for the black piece. With the keys setwhite, addwhite, setblack and addblack you can add white and black pieces without caring about the cases. Like the keys for adding pieces, the keys starting with set first clears the board, so if you don't want to lose all the set pieces, you should use such a key only once.

```
\def\whitepieces{kc3, nc2, pa2, Pd4}
\chessboard[setwhite=\whitepieces,
  addblack={Kc8,bh7, pa7}]
```



3.5 Adding FEN-positions

setfen=<FEN>


setfen=\myfen, rnbqk/8/RNBQK

addfen=<FEN>

addfen=\myfen, rnbqk/8/RNBQK

With this keys you can add pieces to the board by given a FEN. The setfen will clear the board, addfen will left pieces outside the fields described by the FEN undisturbed.

```
\newchessgame
\def\myfen{KK//KK}
\chessboard[addfen=\myfen]
```




startfen=<field>

startfen=b7

As a default `\chessboard` fills the board with a FEN-position starting at the left upper corner. You can shift this start field with the key `startfen`.

```
\newchessgame
\def\myfen{KK//KK}
\chessboard[startfen=c7, addfen=KK//KK,
startfen=f3, addfen=\myfen]
```



startfill=<field>

startfill=b7

stopfill=<field>


stopfill=f2

fillarea=<area>

fillarea=c2-d4

With this keys you can restrict the part of the board that is filled by a FEN. Only the pieces inside the `fillarea` are set.

```
\newchessgame
\def\myfen{kqrb///KQRB}
\chessboard[setfen=\myfen, startfen=e4, fillarea=f2-g4,
addfen=\myfen]
```



3.6 Saving positions

The package `skak` has the command `\storegame{<name>}` that stores the FEN of the current game in an internal command, and the command `\savegame{<name>}` that stores the FEN in a file `{<name>}.fen`

The package `chessboard` defines similar keys. The key `storefen=<name>` stores the FEN in an internal command *with the same name* as used by `\storegame{<name>}`. That means that you can exchange the games stored by the package `skak` and the package `chessboard`, but it also means that the package `chessboard` can *overwrite* games stored with the package `skak`. So be careful!

<code>storefen=<name></code>	<code>storefen=game1</code>
------------------------------------	-----------------------------

<code>savefen=<name of file></code>	<code>savefen=game</code>
---	---------------------------

`storefen` saves the current position as FEN to a internal command. `savefen` saves the current position as FEN to a file.

<code>startstore=<field></code>	<code>startstore=b7</code>
---------------------------------------	----------------------------

<code>stopstore=<field></code>	<code>stopstore=f2</code>
--------------------------------------	---------------------------

<code>storearea=<area></code>	<code>storearea=c2-d4</code>
-------------------------------------	------------------------------

With this keys you can restrict the area that is stored or saved. But attention: the package `skak` absolutly doesn't like "illegal" FENs that doesn't describe a full 8×8 board.

<code>mover=<w b></code>	<code>mover=w</code>
--------------------------------	----------------------

<code>castling=<castling possibilities></code>	<code>castling=Kq</code>
--	--------------------------

<code>enpassant=<field -></code>	<code>enpassant=c4</code>
--	---------------------------

<code>halfmove=<number></code>	<code>halfmove=14</code>
--------------------------------------	--------------------------

<code>fullmove=<number></code>	<code>fullmove=20</code>
--------------------------------------	--------------------------

With this keys you can set the rest of the FEN-fields. Apart from `mover` the values are only used if you save FENs. The values are also set, if you use in the argument of a `setfen` or `addfen` key complete FENs instead of only the position part.

3.7 Getting the positions of pieces

`getpiecelists=<>` `getpiecelists`


New in version 1.5 there is a key, that retrieves the position of the pieces on the board. For each piece type there is a list called `\cblist<piece>`. The lists can be used everywhere where a list of fields is expected. E.g. it is possible to use the lists to highlight all pawns (see section 6.1.3).

Unlike almost all other commands of `chessboard` this commands are saved globally. This makes it possible to use the lists after the board:

```
\newchessgame
\chessboard[getpiecelists]

White pieces: \king\cblistK, \queen\cblistQ,
              \rook\cblistR, \bishop\cblistB,
              \knight\cblistN, \pawn\cblistP.

Black pieces: \king\cblistk, \queen\cblistq,
              \rook\cblistr, \bishop\cblistb,
              \knight\cblistn, \pawn\cblistp.
```



White pieces: ♔e1, ♕d1, ♖a1,h1, ♗c1,f1, ♘b1,g1,
♙a2,b2,c2,d2,e2,f2,g2,h2.

Black pieces: ♚e8, ♛d8, ♜a8,h8, ♝c8,f8, ♞b8,g8,
♟a7,b7,c7,d7,e7,f7,g7,h7.

3.8 Using saved and stored games

When you are using the package `skak`, you can use the saved games to set the start position of a game with the the package `skak`-commands `\restoregame{<name>}` (restores the game stored with `\storegame`) and `\loadgame{<name>}` (loads the game saved with `\savegame`). This only works if you have saved the position of a normal 8x8-board!

`restorefen=<name>` `restorefen=game1`


`loadfen=<name>` `loadfen=game`

You can also use the saved games to set positions on `\chessboard`. `restorefen` will use games saved with `\storegame` and `storefen`, `loadfen` will load games saved with `\savegame` and `savefen`.

```

\newchessgame
\def\gamename{rank7}
\chessboard[storearea=a7-h7, storefen=\gamename,
startfen=a5, restorefen=rank7]

```




```

\mainline{1. e4 e5}
\savegame{file} % to file.fen
\mainline{2. Nf3 Nf6}
\def\filename{file}
\chessboard[loadfen=\filename]

```

1 e4 e5 2 ♞f3 ♞f6



3.9 Restoring the running game


`\chessboard` saves the running game at the start under the name “current”.

1 e4 e5 2 ♞f3 ♞c6 3 ♘b5 a6

```

\newchessgame
\mainline{1. e4 e5 2. Nf3 Nc6 3. Bb5 a6}
\chessboard[maxfield=j10,
clearboard,
startfen=b9,
restorefen=current]

```



3.10 Changing the input language

```
language=<name>
```


```
language=german
```

`\cbDefineLanguage` `DefineTranslation` With this key you can change the language used for input of pieces. The key doesn't affect the input language of the package skak. It also doesn't affect the language of saved and restored games. `\chessboard` will always switch to english in this cases! Up to now only german translations are built in (I don't know how chess pieces are called in other languages), but it isn't difficult to add other languages. The code for german should be quite selfexplanatory:

```
\cbDefineLanguage{german}%  
\cbDefineTranslation{german}{K}{K}%  
\cbDefineTranslation{german}{Q}{D}%  
\cbDefineTranslation{german}{R}{T}%  
\cbDefineTranslation{german}{B}{L}%  
\cbDefineTranslation{german}{N}{S}%  
\cbDefineTranslation{german}{P}{B}%  
\cbDefineTranslation{german}{k}{k}%  
\cbDefineTranslation{german}{q}{d}%  
\cbDefineTranslation{german}{r}{t}%  
\cbDefineTranslation{german}{b}{l}%  
\cbDefineTranslation{german}{n}{s}%  
\cbDefineTranslation{german}{p}{b}%
```

You can mix the languages in the input (but I don't think you should do it, it can get quite confusing, it's better to stick to one language).

```
\def\whitepieces{lc4, sg1}  
\chessboard[setpieces={qd8, ra8, bh8},  
  language=german,  
  addpieces={Da1, Th4},  
  addwhite=\whitepieces,  
  addblack={Bb7}]
```



4 The look of the board

4.1 Units for lengths

For many of the following commands you will have to enter a length. This can be an absolute length like 1in, 2cm, 4pt. But often you will prefer a relative length. In most cases the font related length 1ex, 1em and `\baselineskip` will be the same as a half of the square width, the width of the square and the total height of a square.³ The package uses internally the three lengths offered by the package `chessfss` – `\len@cfss@squarewidth`, `\len@cfss@squaretotalheight` and `\len@cfss@squaredepth` –. In most cases they will only give inside `\chessboard` (locally) the correct sizes, but if you use the key `psset` they are set globally.

4.2 Some words about box sizes

In \TeX almost everything is either a box (a character box, a line box, a page box, a box with a tabular in it ...) or a space. And larger objects are build by putting boxes and spaces in a surrounding box. In the real world a box has always to be larger as its content. In the virtual \TeX -world a lot of magic is possible: The content can be much larger than the surrounding box or even be partly or completely outside the surrounding box.

```
x% shows the current line
\fbbox{% a box
\raisebox{3ex}[0pt][0pt]{%
  \makebox[0pt]{%
    large content outside the box}}}%
x% and here something after the fbox
```

large content outside the box

X□X

So the outside size of a box can be quite different from the inside size. And the outside baseline of a box can be at quite different place as the inside baseline.

In the concrete case of `\chessboard` the outside size of the board is determined through the size of the font, the fields shown and the margin. All other things like border, label, highlighting, mover will not affect this size. The baseline of a chess board is always at the bottom of the bottom rank. Margins, labels or borders or anything else will not change this. If you want to move the baseline you will have to use a `\raisebox`.

³I learned on the hard way that you shouldn't rely that fonts sets em and ex correctly, e.g. the font `skak` doesn't do it and so the units default to zero which can be quite confusing. So I decided to set the `fontdimen` values explicitly.

4.3 Margins


The “outside size” (“the bounding box”) of a chess board is the size of the printed fields plus a margin.

<code>marginleftwidth=<length></code>	<code>marginleftwidth=1em</code>	1em
<code>marginrightwidth=<length></code>	<code>marginrightwidth=1em</code>	1em
<code>margintopwidth=<length></code>	<code>margintopwidth=1em</code>	1em
<code>marginbottomwidth=<length></code>	<code>marginbottomwidth=1em</code>	1em
<code>hmarginwidth=<length></code>	<code>hmarginwidth=1em</code>	1em
<code>vmarginwidth=<length></code>	<code>vmarginwidth=1em</code>	1em
<code>marginwidth=<length></code>	<code>marginwidth=1em</code>	1em

With this keys you can set and change the thickness of the margin. As you can see you can set each margin differently, but there are also keys to set more than one margin at one time.

<code>marginleft=<true false></code>	<code>marginleft</code>	true
<code>marginright=<true false></code>	<code>marginright=false</code>	true
<code>margintop=<true false></code>	<code>margintop</code>	true
<code>marginbottom=<true false></code>	<code>marginbottom</code>	true
<code>hmargin=<true false></code>	<code>hmargin</code>	true
<code>vmargin=<true false></code>	<code>vmargin</code>	true
<code>margin=<true false></code>	<code>margin</code>	true

You can disable the margin either by setting its width to 0pt or with this boolean keys.

<pre>x\fbbox{\chessboard[printarea=a1-a1, marginwidth=0pt]}</pre>	
<pre>x\fbbox{\chessboard[printarea=a1-a1, marginwidth=0.5cm]}</pre>	
<pre>x\fbbox{\chessboard[printarea=a1-a1, marginwidth=0.5cm, margin=false]}</pre>	

4.4 Borders

The borders are made with rules. You will perhaps notice that on screen the edges looks like as if they don't contact properly. This is a problem of the rather bad resolution of a screen. When you zoom in you can see that the edges are fine. If this bothers you, you can try the fancy borders made with the pgf-commands decribed later. As they are made with one line, they seem to have better edges – but you can't color them individually and it isn't yet possible to disable the borders of single sides.

<code>borderleftwidth=<length></code>	<code>borderleftwidth=1em</code>	0.04em
<code>borderrightwidth=<length></code>	<code>borderrightwidth=1em</code>	0.04em
<code>bordertopwidth=<length></code>	<code>bordertopwidth=1em</code>	0.04em
<code>borderbottomwidth=<length></code>	<code>borderbottomwidth=1em</code>	0.04em
<code>hborderwidth=<length></code>	<code>hborderwidth=1em</code>	0.04em
<code>vborderwidth=<length></code>	<code>vborderwidth=1em</code>	0.04em
<code>borderwidth=<length></code>	<code>borderwidth=1em</code>	0.04em

With this keys you can set and change the thickness of the border. The border doesn't change the bounding box of the board. If there isn't an adequate margin it will stick outside!

<code>borderleft=<true false></code>	<code>borderleft</code>	true
<code>borderright=<true false></code>	<code>borderright=false</code>	true
<code>bordertop=<true false></code>	<code>bordertop</code>	true
<code>borderbottom=<true false></code>	<code>borderbottom</code>	true
<code>hborder=<true false></code>	<code>hborder</code>	true
<code>vborder=<true false></code>	<code>vborder</code>	true
<code>border=<true false></code>	<code>border</code>	true

You can disable the border either by setting its width to 0pt or with this boolean keys.

<code>borderleftcolor=<color></code>	<code>borderleftcolor=red</code>	black
<code>borderrightcolor=<color></code>	<code>borderrightcolor=red</code>	black
<code>bordertopcolor=<color></code>	<code>bordertopcolor=red</code>	black
<code>borderbottomcolor=<color></code>	<code>borderbottomcolor=red</code>	black
<code>hbordercolor=<color></code>	<code>hbordercolor=red</code>	black
<code>vbordercolor=<color></code>	<code>vbordercolor=red</code>	black
<code>bordercolor=<color></code>	<code>bordercolor=red</code>	black


With this keys you can set and change the color of the border.

You must load a color package like xcolor or color to be able to use colors!⁴

```

\raggedright
some text above the board\\
the board will overwrite this!\\
left%
\def\borderwidth{12pt}
\def\mycolor{red!50}
\chessboard[tinyboard,
marginleftwidth=1em,
margintopwidth=0pt,
bordertopwidth=\borderwidth,
borderleftcolor=\mycolor,
bordertopcolor=yellow!25,
marginright=false]%
right\\
text below the board

```



⁴I must correct myself: the pgf-package will load xcolor, so you should load a color package only if you want to use it with other options

4.5 The size of the boardfont

<code>boardfontsize=<length></code>	<code>boardfontsize=10pt</code>	20pt
<code>fontsize=<length></code>	<code>fontsize=10pt</code>	20pt
<code>tinyboard=<arbitrary></code>	<code>tinyboard</code>	
<code>smallboard=<arbitrary></code>	<code>smallboard</code>	
<code>normalboard=<arbitrary></code>	<code>normalboard</code>	default
<code>largeboard=<arbitrary></code>	<code>largeboard</code>	

With this keys you can change the size of the board font. The keys `tinyboard` etc. gives the same sizes as the similar commands `\tinyboard` of the package `skak`, they also change the size of the font of the labels.

You can also change the size of the board font with the commands described in the documentation of the package `chessfss`. But you should be aware that the keys used in `\setchessboard` or `\chessboard` will always win over the commands from the package `chessfss`.


4.6 Changing the boardfont

Instead of using the keys described below you can also change the board font with the commands described in the documentation of the package `chessfss`. But you should be aware that the keys used in `\setchessboard` or `\chessboard` will always win over the commands from the package `chessfss`.

<code>boardfontfamily=<family name></code>	<code>boardfontfamily=maya</code>	<code>skak/skaknew</code>
--	-----------------------------------	---------------------------

With the above key you can change the board font by setting the family. This works quite similar as for text font where you can switch e.g. from `times` to `helvetica` by changing the font family. The font families `skak` and `skaknew` will work from the start. You must install other families before being able to use them!

```
\chessboard[boardfontfamily=maya]
```




```
boardfontseries=<series name> boardfontseries=b
```

Setting the series to bold (b) only works for a quite small set of fonts which have the chars in two weights. But to tell the truth: I don't find the result very satisfying.

There are no keys to change the shape of the font as I really don't know what an italic (\itshape) or slanted board font should be. (And I never saw such a font).

```
\newchessgame  
\chessboard[boardfontfamily=millennia,  
tinyboard]  
\chessboard[boardfontfamily=millennia,  
boardfontseries=b,  
tinyboard]
```



```
boardfontencoding=<encoding> boardfontencoding=LSB1 LSB
```

With this key you can change the encoding of the board font. While in a normal document you probably seldom or never need to bother with encodings they are highly useful in connection chess board if you want to add colors to the chars on the board. When using other encodings than the standard LSB the chars on the board are composed with special chars that allows to color e.g. the lines of the black field differently to the figure on the field. I will come back to this when I describe how to color the chars.

There are simple encodings called LSB, LSB1, LSB2 ..., which works with almost every font family. And there are special encodings LSBC1, LSBC2 ..., which works only with professional chess fonts with special chars. Happily the default board font, the free font skaknew, is such a professional chess font.

If you want to use one of the extended encodings LSB1, LSB2, etc and LSBC1, LSBC2 etc you must load the definition files e.g. with `\usepackage[LSB1, T1]{fontenc}`. You find more informations in the documentation of the package chessfss.

4.7 Coloring and emphasizing the board chars

4.7.1 In short

- Coloring the board or parts of the chars is a two step process:
First you set the colors you want, then you apply them.
- Colors can be applied to the whole board (to set the default colors of the white and black pieces and fields). This done with the keys `setfontcolors` and `addfontcolors`.
- Colors can be applied to part of the board together with other commands like `\bfseries` (e.g. to emphasize special fields or ranks) by first enabling color emphasizing with the key `coloremph` and then by setting the area or field that should get the colors with e.g. the key `empharea`.

4.7.2 Introduction: About composed chars and encodings

In simple chess fonts each field with and without a figure on it is *one* char. You can color such a char but – as in the case of normal chars – only in one color:



This is certainly not very satisfying. You probably would like to be able to color the white figures differently from the black ones, and the black fields in a third color.

To be able to do this, one has to use more than one char to build a field and to print them on top of each other. Look e.g. at this example:



It is build by putting four different objects on top of each other:

At start there is a standard yellow colorbox



Above there is a black empty square colored in blue:



Then comes a solid, filled and colored char with the same shape as the king:



Table 1: The construction rules of encoding LSBC3

Encoding LSBC3					
Layer:	fieldmask	field	piecemask	piece	result
WhiteSquare					
BlackSquare					
WhiteOnWhite					
WhiteOnBlack					
BlackOnWhite					
BlackOnBlack					

At last there is the char for the king:



So



There are a lot of other possibilities to compose the board fields. Some more “poor man’s” compositions that use only chars present in every chess font, other that need special masking chars which only special chess fonts provide.

Each such construction is connected to a font encoding: By changing the encoding of the board font you change the rules that compose the board chars and so you change also the options to color the chars.

In the package chessfss I have defined a bundle of such “construction rules” (=encodings) to use and color composed board chars. As it would be a strain if each of this construction rules would let to a different set of commands to color the chars I had to systemize the construction rules. For this I have divided the possible individual components of a composed chars in four logical layers and assign to each layer generic color commands that are used in the definition of the composed chars and can be used to color the components. The four layers are named fieldmask, field, piecemask and piece.

As an example table 1 shows a tabular that demonstrates how the encoding LSBC3 is built. As you can see the chars are built by putting up three or four chars on top of each other. (The green and yellow colors are not the default settings!). The documentation of the package chessfss shows the other encodings.

Table 2: The internal color commands

<i>layer</i>	<i>internal color commands</i>	<i>default definition</i>
fieldmask	<code>\cfss@whitefieldmaskcolor</code>	<code>\color{white}</code>
	<code>\cfss@blackfieldmaskcolor</code>	<code>\color{gray}</code>
field	<code>\cfss@whitefieldcolor</code>	<code>{}</code>
	<code>\cfss@blackfieldcolor</code>	<code>{}</code>
piecemask	<code>\cfss@whiteonwhitepiecemaskcolor</code>	<code>\color{white}</code>
	<code>\cfss@whiteonblackpiecemaskcolor</code>	<code>\color{white}</code>
	<code>\cfss@blackonwhitepiecemaskcolor</code>	<code>\color{white}</code>
	<code>\cfss@blackonblackpiecemaskcolor</code>	<code>\color{white}</code>
piece	<code>\cfss@whitepiececolor</code>	<code>{}</code>
	<code>\cfss@blackpiececolor</code>	<code>{}</code>

Table 2 shows the internal commands used to color the different part of a composed char. You will probably never need them but they will give you an idea what can be colored (I hope that is clear that it makes only sense to change the colors of layers that are used in the actual encoding – you can't color an solid fieldmask that isn't there).

I would like to draw your attention to two things:

1. The field-layers distinguish between black and white field while the piece layer distinguish between black and white pieces and the piecemask offers all possible combinations.
2. The fieldmask and the piecemask are colored by default and so they will overwrite or block out external colors from `\colorbox` or `\textcolor` commands:

```
%Uses commands from chessfss.sty
\setboardfontencoding{LSBC3}%
\setboardfontsize{2cm}

\colorbox{yellow}{%
\textcolor{red}{\WhiteKingOnWhite}}
%
\setboardfontcolors{
whitefieldmask=yellow,
whiteonwhitepiecemask=red}
\colorbox{yellow}{%
\textcolor{red}{\WhiteKingOnWhite}}
```



So coloring the board is not really difficult: one must only redefine the internal commands mentioned above to the wanted color. That's what the `\setboardfontcolors` command of the package `chessfss` does and it will work fine with `chessboard`.

Naturally I also wanted to add keys for `\chessboard` and `\setchessboard` to change the colors. This is a bit more complicated because I wanted not only to be able to change the

colors of the whole board but also of single fields or areas. And I had also to add keys to change the color in the two pgf pictures. Finding names for all this keys and effects wasn't easy. And I hope that it isn't to confusing.

4.7.3 Setting the default colors of the board

<code>clearfontcolors=<arbitrary></code>	<code>clearfontcolors</code>
--	------------------------------

When you set with the following keys a color for one of the font layers, `\chessboard` adds simply the color definition to an internal command (the “font color stack”). When you use later a key to apply the colors to the board or an area this internal command is inserted at the start of the board or the fields of the area. The internal command can get quite long if you set a lot of colors. With the key `clearfontcolors` you can empty the internal command (this will not destroy the colors that you have already applied).

<code>whitefieldmaskcolor=<color></code>	<code>whitefieldmaskcolor=red!50</code>
--	---

<code>blackfieldmaskcolor=<color></code>	<code>blackfieldmaskcolor=red!50</code>
--	---

<code>fieldmaskcolor=<color></code>	<code>fieldmaskcolor=red!50</code>
---	------------------------------------

<code>whitefieldcolor=<color></code>	<code>whitefieldcolor=red!50</code>
--	-------------------------------------

<code>blackfieldcolor=<color></code>	<code>blackfieldcolor=red!50</code>
--	-------------------------------------

<code>fieldcolor=<color></code>	<code>fieldcolor=red!50</code>
---------------------------------------	--------------------------------

<code>whiteonwhitepiecemaskcolor=<color></code>	<code>whiteonwhitepiecemaskcolor=red!50</code>
---	--

<code>whiteonblackpiecemaskcolor=<color></code>	<code>whiteonblackpiecemaskcolor=red!50</code>
---	--

<code>blackonwhitepiecemaskcolor=<color></code>	<code>blackonwhitepiecemaskcolor=red!50</code>
---	--

<code>blackonblackpiecemaskcolor=<color></code>	<code>blackonblackpiecemaskcolor=red!50</code>
---	--

<code>whitepiecemaskcolor=<color></code>	<code>whitepiecemaskcolor=red!50</code>
--	---

<code>blackpiecemaskcolor=<color></code>	<code>blackpiecemaskcolor=red!50</code>
--	---

<code>onwhitepiecemaskcolor=<color></code>	<code>onwhitepiecemaskcolor=red!50</code>
--	---

<code>onblackpiecemaskcolor=<color></code>	<code>onblackpiecemaskcolor=red!50</code>
--	---

<code>piecemaskcolor=<color></code>	<code>piecemaskcolor=red!50</code>
---	------------------------------------

`whitepiececolor=<color>` `whitepiececolor=red!50`

`blackpiececolor=<color>` `blackpiececolor=red!50`

`piececolor=<color>` `piececolor=red!50`

With this keys you set the colors of the different parts of a composed char. The colors are saved to an internal stack. A key like `whitepiececolor` saves the color for one of the layer color commands. `piecemaskcolor` will set the color for all four piecemasks in one go.

The keys `colorwhite` and `colorblack` of the previous version of this package are copies of the keys `whitepiececolor` and `blackpiececolor`.

4.7.4 Applying the colors to the whole board

`setfontcolors=<arbitrary>` `setfontcolors`



`addfontcolors=<arbitrary>` `addfontcolors`

This keys will put the “font color stack” in a command that is executed at the start of the board. So the colors will affect any fields that don’t get individual colors with the command described in the next subsection. `setfontcolors` will replace any font colors that have been set before, `addfontcolors` will add the new colors to perhaps already existing ones.

```
\def\mycolor{yellow!50}
\setchessboard{
boardfontencoding=LSBC3,
piecemaskcolor=\mycolor,
setfontcolors}

\chessboard[tinyboard]

\def\mycolor{green}% will set the
% piecemask to green:
\chessboard[tinyboard,
whitepiececolor=red,
blackpiececolor=blue,
fieldcolor=white,
addfontcolors]
```




4.7.5 Emphasising and coloring individual areas

`emphstyle=<commands>`

`emphstyle=\bfseries`

With this key you can set a command that should be applied to an area. The commands can be whatever you want, (it is a good idea not use something that takes up some space). In my opinion the only senseful commands are `\color` and `–` for the few fonts that have a bold boardfont – `\bfseries`. You can use the key `e.g.` for simple coloring.

```
\newchessgame
\def\empharea{ h8-f4 }
\chessboard[emphstyle=\color{red},
empharea=\empharea]
```




You can't color with `emphstyle` the fieldmask and the piecemask of chars as they have a default color that takes precedence.

`coloremph=<true|false>`

`coloremph`

With this key you enable or disable color emphasising. When set to true, font colors set earlier will be added to `emphstyle` and so used to color the area. The colors are added after the commands of the key `emphstyle` and so will eventually overwrite them. This allows more complicated coloring:

```
\newchessgame
\def\empharea{ h8-f1 }
\chessboard[boardfontencoding=LSBC3,
whiteonwhitepiecemaskcolor=green,
whitepiececolor=red,
blackpiececolor=blue,
emphstyle=\color{yellow},
%doesn't affect the default white color
%of the piecemask
empharea=a1-c8,
coloremph,
empharea=\empharea]
```



`coloremphstyle=<commands>`


`coloremphstyle=\bfseries`

This key combines the keys `coloremph` and `emphstyle`.


<code>emphboard=<arbitrary></code>	<code>emphboard</code>
<code>empharea=<area></code>	<code>empharea=a1-c3</code>
<code>emphareas=<list of areas></code>	<code>emphareas={f6-h7,a1-c3}</code>
<code>emphfile=<file></code>	<code>emphfile=a</code>
<code>emphfiles=<list of files></code>	<code>emphfiles={g,h}</code>
<code>emphrank=<rank></code>	<code>emphrank=5</code>
<code>emphranks=<list of ranks></code>	<code>emphranks={8,7}</code>
<code>emphfield=<field></code>	<code>emphfield=a3</code>
<code>emphfields=<list of fields></code>	<code>emphfields={b5,c6}</code>

This keys apply the emphasize commands and eventually the colors to the area they define.

```
\def\empharea{ h8-f4 }
\chessboard[boardfontfamily=millennia,
  coloremphstyle=\bfseries,
  empharea=\empharea,
  whitepiececolor=red,
  emphrank=1,
  whitepiececolor=blue,
  emphareas={a2-a2, c1-e2},
  coloremph=false,
  emphfield=f2]
```



```
\chessboard[boardfontencoding=LSBC3,
  coloremph,
  emphfield={f1},
  whitepiececolor=red,
  emphranks={1},
  whitepiececolor=blue,
  emphfields=a2,
  blackpiececolor=green,
  empharea=a8-c7]
```



The key `colorpieces` doesn't work anymore, it will issue only a warning. Use `emphfields` instead.

4.7.6 Transparency/opacity

Pgf has commands to set the opacity of a color. This works only for some drivers and output formats (e.g. with pdf \LaTeX), but it also works outside pgf pictures in running text. The main drawbacks are that the opacity settings gets lost at a pagebreak and that \TeX -groups and boxes are not respected, that means that you must reset the opacity explicitly. It is possible to add to boxes that use internally `\color@begingroup/"\color@endgroup`⁵ some code that resets the opacity outside the box to 1. As `\chessboard` uses only such safe boxes it is possible to smuggle transparency in parts of the composed chars. But the whole is not very safe so use it at your own risk.





```
\makebox[0pt][l]{\rule{12em}{10pt}}%
\color{red}%
\rule{1em}{14pt} ABC
\pgfsetfillopacity{0.5}%
\rule{1em}{14pt} ABC
\pgfsetfillopacity{1}%
\rule{1em}{14pt} ABC

\makeatletter
\let\color@endgroupORI\color@endgroup
\def\color@endgroup
{\color@endgroupORI\pgfsetfillopacity{1}}

\chessboard[boardfontencoding=LSBC4,
whitepiececolor=red,
blackpiececolor=blue,
setfontcolors]

\def\cfss@whitepiececolor
{\pgfsetfillopacity{0.5}\color{red}}
\def\cfss@blackpiececolor
{\pgfsetfillopacity{0.5}\color{blue}}

\chessboard[boardfontencoding=LSBC4]
```



4.8 Labels

In the package `chessfss` I used the name `sidefont` for the label. I did it mostly because I didn't dare to use the command `\labelfont`, I was quite sure that somewhere in the packages for \LaTeX someone else had already used this name. When using keys name clash are not a problem as internally a unique prefix is used, so I decided to use names starting with "label" in this package.

⁵Almost all \LaTeX -boxes but not e.g. `\mbox` and `\makebox` when used without optional argument.


labeledleft= <i><true false></i>	labeledleft	true
labeledright= <i><true false></i>	labeledright=false	false
labeledtop= <i><true false></i>	labeledtop	false
labeledbottom= <i><true false></i>	labeledbottom	true
hlabel= <i><true false></i>	hlabel	false
vlabel= <i><true false></i>	vlabel	false
label= <i><true false></i>	label	false

You can disable the labels with this boolean keys.

labeledleftwidth= <i><length></i>	labeledleftwidth=1em	1ex
labeledrightwidth= <i><length></i>	labeledrightwidth=1em	1ex
hlabelwidth= <i><length></i>	hlabelwidth=1em	1ex

The labels on the left side are set raggedleft, the ones on the right side raggedright at the distance given by the keys. This width don't change the size of the board! The top and bottom labels are centered.

```
\def\mywidth{1em}
left%
\chessboard[maxfield=j10,
  tinyboard,
  printarea=d5-j10,
  hmarginwidth=1em,
  hlabelwidth=\mywidth,
  hlabel,
  vlabel=false]%
right
```



labeledleftlift= <i><length></i>	labeledleftlift=1em	0.35em
labeledrightlift= <i><length></i>	labeledrightlift=1em	0.35em
hlabellift= <i><length></i>	hlabellift=1em	0.35em

With this keys you can move up and down the left and right labels.

<code>labeltoplift=<length></code>	<code>labeltoplift=1em</code>	1.1\baselineskip
--	-------------------------------	------------------

<code>labelbottomlift=<length></code>	<code>labelbottomlift=1em</code>	0.2\baselineskip
---	----------------------------------	------------------

<code>vlabellift=<length></code>	<code>vlabellift=1em</code>	-
--	-----------------------------	---

With this keys you can set the distance of the baselines of the top and bottom labels from the board sides. \baselineskip, ex and em refer in this keys *not* to the size of the board, but to the size of the label font – I thought this would be easier to handle.

<code>labeledleftfont=<fontcommand></code>	<code>labeledleftfont=\itshape</code>	\sfdefault
--	---------------------------------------	------------

<code>labeledrightfont=<fontcommand></code>	<code>labeledrightfont=\itshape</code>	\sfdefault
---	--	------------

<code>labeltopfont=<fontcommand></code>	<code>labeltopfont=\itshape</code>	\sfdefault
---	------------------------------------	------------

<code>labelbottomfont=<fontcommand></code>	<code>labelbottomfont=\itshape</code>	\sfdefault
--	---------------------------------------	------------

<code>hlabelfont=<fontcommand></code>	<code>hlabelfont=\itshape</code>	\sfdefault
---	----------------------------------	------------

<code>vlabelfont=<fontcommand></code>	<code>vlabelfont=\itshape</code>	\sfdefault
---	----------------------------------	------------


<code>labelfont=<fontcommand></code>	<code>labelfont=\itshape</code>	\sfdefault
--	---------------------------------	------------

With this keys you can set the font used by the labels. As a default (this is set in the package chessfss) the sans serif font of the document is used. You can also use the the package chessfss commands to change the font.

<code>labelfontsize=<length></code>	<code>labelfontsize=0.5em</code>	10pt
---	----------------------------------	------

This key sets the font size of the label. The default value is set by the key normalboard. There aren't keys to set the size of each label separately. If you really need different sizes, use the key hlabelfont etc (and be careful when using font relative sizes).

```
\setchessboard{labelfont=\bfseries}
\setsidefontfamily{ptm} % from chessfss.sty
\chessboard[labelfontsize=6pt]
```



<code>labeledleftformat=<commands></code>	<code>labeledleftformat</code>	1
---	--------------------------------	---


<code>labeledrightformat=<commands></code>	<code>labeledrightformat</code>	1
--	---------------------------------	---

<code>labeltopformat=<commands></code>	<code>labeltopformat</code>	<code>h</code>
<code>labelbottomformat=<commands></code>	<code>labelbottomformat</code>	<code>h</code>
<code>hlabelformat=<commands></code>	<code>hlabelformat</code>	<code>1</code>
<code>vlabelformat=<commands></code>	<code>vlabelformat</code>	<code>h</code>
<code>labelformat=<commands></code>	<code>labelformat</code>	

With this keys you can control how the number of the files and ranks are printed. `ranklabel` and `filelabel` are counters that contain the current rank and file. You can use them freely (even change if you want).

The commands can be a lot of things. You can e.g. use them to color the labels or to move the labels around. When you use commands with optional arguments you must put braces around the value of the key!

```
\def\mylabelformat{%
{\makebox[Opt][r]{%
\ifthenelse{\isodd{\value{ranklabel}}}{
\color{red}\roman{ranklabel}}
{\color{green}\roman{ranklabel}}}}}}
\chessboard[hlabelformat=\mylabelformat,
vlabelformat=\arabic{filelabel}\hfill]
```



4.9 The mover

The “mover” is a sign at the side of the board that indicates which player is to move. `\chessboard` gets this information either from the FEN (if it contains the information as is the case when the FEN comes from the package `skak`), or through the following key:


<code>mover=<w b></code>	<code>mover=b</code>
--------------------------------	----------------------

You can use this key more than once, e.g. to control the mover field in the FEN that you save, the last value is used for the print.

<code>showmover=<true false></code>	<code>showmover=false</code>	<code>true</code>
---	------------------------------	-------------------

This key switch the print of the mover sign on and off.

```
\chessboard[smallboard,showmover=true]
```



`moversize=<length>` `moversize=1ex` `1em`

This key sets the fontsize of the mover. It only has an effect if the mover sign comes from a font – and if the definition doesn't change the fontsize.

The value is saved in an inner command with the name `\board@val@moversize`, you can use this command in your own mover definitions.

`moverlift=<length>` `moverlift=1ex` `0pt`


`moverbottomlift=<length>` `moverbottomlift=1ex` `0pt`

`moverbottomlift=<length>` `moverbottomlift=1ex` `0pt`

With this keys you can move the mover vertically. Positive values will move the bottom mover up and the top mover down⁶. `0pt` will align the bottom mover along the baseline, and the top of the upper mover along the upper side of the board.

```
\setchessboard{showmover}%
\chessboard[tinyboard, setfen=k1K b]%
\chessboard[tinyboard, setfen=k1K w]

\chessboard[tinyboard, setfen=k1K b,
  moverlift=-1ex]%
\chessboard[tinyboard, setfen=k1K w,
  moverlift=-1ex]
```



⁶This isn't perhaps the correct meaning of the word "lift" but I guessed that user expect the mover to move either both towards or apart.


`movershift=<length>` `movershift=1ex` `1ex`

`movertopshift=<length>` `movertopshift=1ex` `1ex`

`moverbottomshift=<length>` `moverbottomshift=1ex` `1ex`

With this keys you can shift the mover horizontally. If you want to put it on the left side of the board, use a large negative value.

```
\setchessboard{showmover}%
\chessboard[setfen=k1K b,
  movershift=-9em,
  labelleft=false,
  labelright]%
```




`moverstyle=<typename>` `moverstyle=squarearrow` `square`

With this key you can change the mover type. Up to now four types are defined, but you can define your own one if you want.

```
\setchessboard{showmover}%
\chessboard[tinyboard, setfen=k1K b,
  moverstyle=triangle]%
\chessboard[tinyboard, setfen=k1K w,
  moverstyle=triangle]

%This moverstyle needs pifont and graphics!
\chessboard[tinyboard, setfen=k1K b,
  moverstyle=squarearrow]%
%This will give a warning and square is used:
\chessboard[tinyboard, setfen=k1K w,
  moverstyle=unknown]
```



`\cbDefineMoverStyle` With this command you can define your own moverstyle. `\cbDefineMoverStyle` takes six arguments (the first is optional). The first mandatory argument is the name of the style, the following arguments get the definitions for the mover for black and white for normal and inverse board.

`\cbDefineMoverStyle[<commands>]{<name of style>}{<white top>}{<white bottom>}{<black top>}{<black bottom>}.`

The listing shows the definition of the mover “squarearrow”:

```
\cbDefineMoverStyle%
%#1: optional, can be used e.g. for checks
%#2=style name, #3=white top, #4=white bottom,
%#5=black top, #6=black bottom
[\@ifundefined{rotatebox}%
{\PackageError{chessboard}%
{You must load the package graphics or graphicx
if you want to use the mover style squarearrow}{}}%
}%
\@ifundefined{ding}%
{\PackageError{chessboard}%
{You must load the package pifont
if you want to use the mover style squarearrow}{}}%
}]
{squarearrow}% #2
{\rotatebox{-90}{$\square$, \ding{222}}}%
{\rotatebox{90}{$\square$, \ding{222}}}%
{\rotatebox{-90}{$\blacksquare$, \ding{222}}}%
{\rotatebox{90}{$\blacksquare$, \ding{222}}}%
```

5 Controlling the printing

5.1 Printing partial boards

`print=<true|false>` `print=false` `true`

With this key you can disable the printing of the board. This is useful if you want to use `\chessboard` to save FEN.

`left\chessboard[print=false]right` `leftright`


`startprint=<field>` `startprint=b7`

`stopprint=<field>` `stopprint=f2`

`printarea=<area>` `printarea=c2-d4`

With this keys you can define the area that gets printed.

```
\newchessgame
left\chessboard[printarea=a4-d8]right
```




5.2 Rotating the board

```
inverse=<true|false>           inverse=false           false
```

With this key you can print the black side at the bottom. It won't switch labels or margins etc.

```
\newchessgame
left\chessboard[inverse]right
```



5.3 Hiding the content of the board

5.3.1 Hiding the content of fields

- hideboard=<arbitrary> hideboard
- hidearea=<area> hidearea=a1-c3
- hideareas=<list of areas> hideareas={a1-c3,g7-h8}
- hidefile=<file> hidefile=g
- hidefiles=<list of files> hidefiles={g,h}

hiderank=<rank>

hiderank=5

hideranks=<list of ranks>

hideranks={8,7}

hidefield=<field>

hidefield=c6

hidefields=<list of fields>



hidefields={b5,c6}

With this keys you can hide pieces on certain fields. The pieces are not deleted, e.g. when you save the position to FEN they will be there. But the content of hidden fields don't appear if you add pieces to this fields!

```

\newchessgame
\def\myfiles{a,b}
\setchessboard{tinyboard}
\chessboard[hidefiles=\myfiles,
  addpieces=Ra2,
  hidearea=d7-e8,
  storefen=myfen]
\chessboard[restorefen=myfen]

```



5.3.2 Hiding piecetypes

hidepiece=<piece char>

hidepiece=q

hidepieces=<list of piece chars>

hidepieces={K, b}

hidewhite=<arbitrary>

hidewhite

hideblack=<arbitrary>

hideblack

hideall=<arbitrary>



hideall

This keys doesn't hide the content of fields but piecetypes like the kings or the pawns. Here too: you can't add pieces if their type is hidden.

```

\newchessgame
\def\mypieces{R,Q}
\setchessboard{tinyboard}
\chessboard[hidepieces=\mypieces,
  addpieces={Ra2, ra7},
  hideblack,
  storefen=myfen]%
\chessboard[restorefen=myfen]

```




5.3.3 Showing the content of fields

<code>showboard=<arbitrary></code>	<code>showboard</code>
<code>showarea=<area></code>	<code>showarea=a1-c3</code>
<code>showareas=<list of areas></code>	<code>showareas={a1-c3,g7-h8}</code>
<code>showfile=<file></code>	<code>showfile=g</code>
<code>showfiles=<list of files></code>	<code>showfiles={g,h}</code>
<code>showrank=<rank></code>	<code>showrank=5</code>
<code>showranks=<list of ranks></code>	<code>showranks={8,7}</code>
<code>showfield=<field></code>	<code>showfield=c6</code>
<code>showfields=<list of fields></code>	<code>showfields={b5,c6}</code>

With this keys you can let reappear the content of hidden fields.

```
\newchessgame
\def\myfiles{a,b}
\chessboard[hidefiles=\myfiles,
  addpieces=Ra2,
  showfiles=a,
  showranks=2]
```



5.3.4 Showing piecetypes


<code>showpiece=<piece char></code>	<code>showpiece=q</code>
<code>showpieces=<list of piece chars></code>	<code>showpieces={K, b}</code>
<code>showwhite=<arbitrary></code>	<code>showwhite</code>
<code>showblack=<arbitrary></code>	<code>showblack</code>
<code>showall=<arbitrary></code>	<code>showall</code>

And this keys lets reappear hidden piecetypes. Attention: hidden pieces on hidden fields reappear only if you use the key to show the field *and* the key to show the piece!

```

\newchessgame
\def\myfiles{a,e}
\chessboard[hidefiles=\myfiles,
  hidepieces={K,R},
  showfiles=a,
  showranks=1,
  showpieces=K]

```




Keys like `showonlypawns` or `showonlybut` could be easily added as they are simple combinations of the existing keys:

```

\newchessgame
\chessboard[hideall,
  showpieces={P,p},
  addpieces=pe5]

```



6 “Decoration”: Colors, background, fancy borders, highlighting

Coloring and decorating the board is a bit complicated as there is so much that can get different colors and so much different possibilities for marks, arrows, fancy borders and so on. So it can take some time to find out how to achieve a certain effect.

Don't forget that not every effect is sensible or even works everywhere. Transparency/opacity e.g. don't work for every driver or output format or printer or previewer (the documentation of pgf says that it works for dvips only with new ghostscript versions). Some colors look good on screen but bad if printed with a greyscale printer. Colors can change if you use another monitor. Some color combinations are a problem for color blinds.

The package `skak` has some own highlighting commands. They use `postscript/postricks` commands and they only work if you load the package `skak` with the option `ps`. That means that you have to use the `.tex`→`.dvi`→`.ps`→`.pdf`-way to process the document. If you want to use `pdfLATEX` directly you have to use a package like `pst-pdf` to first make pdf graphics from all boards and then include this graphics during the `pdfLATEX`-run. I find this quite cumbersome and sometimes it is even difficult to get it to work.

So I decided to use `pgf` to implement my own highlighting commands. But I also tried to offer a possibility to use the commands of the package `skak`.

The package only loads the package `tikz`. If you want to use additional libraries you have to load them yourself.

```
pgf=<true|false>                pgf                true
```

`tikz-commands` works fine with \LaTeX and $\pdf\LaTeX$ but in some case (e.g. if you use `\chessboard` in an environment that calls the environment `preview`) they can induce errors. So I added a key to disable all the `tikz-commands`. It is also useful to disable most of the highlighting.

6.1 The `tikz`-pictures

The decorations in the two other layers (background layer and mark layer) use `pgf/tikz-commands` – or to be more precise: the two other layers are `tikz`-pictures.

In the first version of the package `chessboard` the pictures where `pgf`-pictures and not `tikz`-pictures. Also the background picture wasn't used much: I had only implemented some code to color the fields. But then I got the request to add some more commands for fancy borders which did mean that I had to transfer the code which draws borders in the foreground picture to the background picture. And I got a request for coloring fields in the foreground picture which did mean that I had to transfer the code from the background to the foreground.

So I decided to rewrite and extend the codes so that each highlighting/drawing in the `pgf`-pictures can be done in either the background or the foreground or in both. I don't know if someone will ever have a need for a cross under the figures, but why shouldn't I offer some code to do it?

I also tried to unify the keys that affect the `pgf`-pictures, to improve the possibilities for the user to control which `pgf`-picture is affected and put a bit more order in the keys. At the end quite a lot of the code has been rearranged and changed.

Finally a number of questions came up how to adapt the styles and I realized that restricting the picture to the basic layer `pgf`-commands makes it harder than necessary and that today the additional compilation time and memory use for full `tikz` support no long matters. So this was changed too.

6.1.1 Naming of the `pgf` related keys

There are more or less three set of keys

- Keys which affect only the foreground picture. The keys starts with or contains the string "`mark`".

- Keys which affect only the background picture. The keys starts with or contains the string “**back**”.
- Keys that saves or set properties that are used in both picture, e.g. to change the color or the linewidth. Such keys start or contain in most cases the string “**pgf**” (with some exceptions like the key for clipping and trimming). For a lot of such keys there exist a shorter (but less descriptive) name without the “pgf”. In most cases there isn’t a difference between the two.

6.1.2 Executing the drawing commands

A chessboard consists of fields on which figures make moves and so the decoration of the board is field and move orientated.

There are three different types of graphical object:

- You can draw something on a set of single *fields* e.g., put a cross on each of the fields or put a border around each field. To get these pictures on or under the field the inner commands first shift the origin to the middle of field and then inserts the code stored in the style definition in the foreground or background image.
- You can draw something on or around a *region* – a rectangle made of fields –, e.g. by putting a border around the center or a rank or the whole board. Here the inner commands shift the origin to the left upper corner of the region. The name of the other corner is available in the style definition through #1.
- And you can mark a *move*. The main difference between a move and a region is that the order of the “corners” given in the argument matters. For moves the origin is in the first corner (the from field).

The drawing is done by first setting with various key the style and the properties of the pgf object and then executed by telling \chessboard which fields, moves or regions should get the drawings.

6.1.3 Drawing on and under fields

<code>markboard=⟨<i>arbitrary</i>⟩</code>	<code>markboard</code>
<code>markarea=⟨<i>area</i>⟩</code>	<code>markarea=a1-c3</code>
<code>markareas=⟨<i>list of areas</i>⟩</code>	<code>markareas={a1-c3,d5-e5}</code>
<code>markfiles=⟨<i>file</i>⟩</code>	<code>markfiles=g</code>
<code>markfiles=⟨<i>list of files</i>⟩</code>	<code>markfiles={g,h}</code>
<code>markrank=⟨<i>rank</i>⟩</code>	<code>markrank=7</code>
<code>markranks=⟨<i>list of ranks</i>⟩</code>	<code>markranks={8,7}</code>
<code>markfield=⟨<i>field</i>⟩</code>	<code>markfield=c6</code>
<code>markfields=⟨<i>list of fields</i>⟩</code>	<code>markfields={b5,c6}</code>
<code>backboard=⟨<i>arbitrary</i>⟩</code>	<code>backboard</code>
<code>backarea=⟨<i>area</i>⟩</code>	<code>backarea=a1-c3</code>
<code>backareas=⟨<i>list of areas</i>⟩</code>	<code>backareas={a1-c3,d5-e5}</code>
<code>backfiles=⟨<i>file</i>⟩</code>	<code>backfiles=g</code>
<code>backfiles=⟨<i>list of files</i>⟩</code>	<code>backfiles={g,h}</code>
<code>backrank=⟨<i>rank</i>⟩</code>	<code>backrank=7</code>
<code>backranks=⟨<i>list of ranks</i>⟩</code>	<code>backranks={8,7}</code>
<code>backfield=⟨<i>field</i>⟩</code>	<code>backfield=c6</code>
<code>backfields=⟨<i>list of fields</i>⟩</code>	<code>backfields={b5,c6}</code>


This keys executes the pgf-commands stored in the style command for each single field.

In the following example you should look at the difference it makes if you put a cross or a border in the background or the foreground.

```

\newchessgame
\def\myarea{a1-b8}
\chessboard[pgfstytle=cross,
  color=blue,
  markfile=h,
  backarea=\myarea,
  color=red,
  padding=-0.2em,
  pgfstytle=circle,
  markfields=g1,backfields=g8,
  linewidth=0.1em,
  pgfstytle=border,
  markranks=6, backrank=4]

```




The new key `getpiecelists` can be used to mark e.g. all pawns on a board:

1 e4 e6 2 d4 d5

```

\newchessgame
\mainline{1. e4 e6 2.d4 d5}
\chessboard[pgfstytle=cross,
  color=blue,
  getpiecelists,
  markfields={\cblstP,\cblstp}]

```



6.1.4 Drawing on regions

`markregions=<list of regions>` `markregions={a1-c3, b7-c6}`

`markregion=<list of regions>` `markregion={a1-c3, b7-c6}`


`backregions=<list of regions>` `backregions={a1-c3, b7-c6}`

`backregion=<list of regions>` `backregion={a1-c3, b7-c6}`

```

\newchessgame
\def\pawnranks{a2-h2, h7-a7}
\chessboard[inverse,
  pgfstyle=border,
  markregions=\pawnranks,
  color=red, padding=0.3ex,
  linewidth=0.1ex,
  backregions={\board,d4-e5},
  pgfstyle=text,
  text=\leftarrow%
    \currentbk-\currentwq
    \rightarrow%,
  markregion=a3-h3,
  pgfstyle={[rotate=45]text},
  backregion=h8-a1]

```



6.1.5 Drawing move related

markmoves=*<list of moves>*

markmoves={a1-c3, b7-c6}

markmove=*<list of moves>*

markmove={a1-c3, b7-c6}

backmoves=*<list of moves>*

backmoves={a1-c3, b7-c6}


backmove=*<list of moves>*

backmove={a1-c3, b7-c6}

```

\def\mymove{d1-d5}%
\chessboard[pgfstyle=straightmove,
  markmoves={a1-a3, c3-e5, g1-f3},
  pgfstyle=knightmove,
  backmoves={g8-f6, h1-f4},
  arrow=to, linewidth=0.2em,
  markmove= \mymove]

```



I'm not very good in designing beautiful curves and moves arrows. If someone could offer me better code I will be happy to implement it.

6.1.6 Choosing what is drawn: pgf styles

<code>markstyle=<[options]style name></code>	<code>markstyle=cross</code>
<code>backstyle=<[options]style name></code>	<code>backstyle=cross</code>
<code>pgfstyle=<[options]style name></code>	<code>pgfstyle=[left]text</code>

With this keys you set the style the drawing commands will use. `markstyle` sets only the style for the foreground (the “mark” picture). `backstyle` sets only the style for the background picture. `pgfstyle` sets the style for both pictures (style is not a shorter version of `pgfstyle!`).

If the value starts with [the text until] is interpreted as an option of the style. It depends on the definition of the style if and how this option is used (until now the text style, the circle style and (since version 1.5) the curvemove style use such options). **Attention:** to prevent `\chessboard` to interpret the] as the end of its optional argument you must put braces around the whole value if you want to use options.

Not every style is useful for everything, e.g. it doesn't make sense to put a border around a move. The following tabular shows the predefined styles and the types for which they work.

	fields	regions	moves
cross	✓		
circle	✓		
text	✓	✓	
border(s)	✓	✓	
color	✓	✓	
straightmove			✓
knightmove			✓
curvemove			✓

`\definePgfFieldStyle` `\definePgfRegionStyle` `\definePgfMoveStyle` With these commands you can define your own styles. The commands take two argument: the first is the name of the style, the second should be the pgf-commands or tikz-commands needed to draw.

The next listing shows two style definition using basic pgf-commands. At first an example for a field mark, then an example for a region where the second corner is accessed through the #1, and at last the definition for the text mark – here it is necessary to rotate the text if the key `inverse` is true and the definition shows how the optional argument of the `pgfstyle` key can be use with #2:

```
\cbDefinePgfFieldStyle{circle}{%
  \pgfsetlinewidth{\board@pgf@linewidth}%
  \setlength\len@board@temp{x}%
  \dimexpr 0.55em + \board@pgf@padding \relax}%
  \pgfpathcircle{\pgfpointxy{0}{0}}{\len@board@temp{x}}%
  \pgfusepath{stroke,#2}}%
```

```

\cbDefinePgfRegionStyle{border}{%
  \pgfsetlinewidth{\board@pgf@linewidth}%
  \pgfsetcornersarced{\pgfpoint{\board@pgf@corner}{\board@pgf@corner}}
  \pgfpathrectanglecorners%
    {\pgfpointadd%
      {\pgfpoint{-\board@pgf@padding}{\board@pgf@padding}}
      {\pgfpointxy{-0.5}{0.5}}}%
    {\pgfpointadd%
      {\pgfpointanchor{#1}{center}}
      {\pgfpointadd%
        {\pgfpoint{\board@pgf@padding}{-\board@pgf@padding}}
        {\pgfpointxy{0.5}{-0.5}}}}%
  \pgfusepath{stroke}}%

\cbDefinePgfFieldStyle{text}{%
  \ifthenelse%
    {\boolean{\XKV@UFCB@locset@inverse@value}}%
    {\pgftext[rotate=180,#2]{\normalfont\board@pgf@curtext}}%
    {\pgftext[#2]{\normalfont\board@pgf@curtext}}}%

```

A definition could also use tikz-commands

```

\cbDefinePgfMoveStyle{moveto}{\draw[->,#2](0,0)--(#1);}


```

and then be used like this

```

\newchessgame
\chessboard[
  pgfstyle={[red, very thick,dashed]moveto},
  markmove=e2-e4,
]

```



6.1.7 Introduction to the predefined pgf styles

Borders



Borders can be put around fields and regions. There exist also partial borders for one, two or three margins of an area, this borders are drawn and named “clockwise”. “left”, “right”, “top”,

and “bottom” refer to the position of the border if the white player is at the bottom. If you use the key `inverse` the positions of the lines don't change in relation to the players colors.

```

\newchessgame
\setchessboard{smallboard,
  pgfstyle=rightbottomborder,
  color=orange,
  markrank=7,
  pgfstyle=lefttoprightborder,
  markregion=a1-b3,
  shortenstart=-1ex,
  padding=1ex,
  linewidth=0.3em,
  pgfstyle=leftborder,color=red,
  markregion=\mycenter,
  pgfstyle=topborder,color=blue,
  markregion=\mycenter,
  pgfstyle=rightborder,color=green,
  markregion=\mycenter,
  pgfstyle=bottomborder,color=yellow,
  markregion=\mycenter}
\def\mycenter{d4-e5}
\chessboard\
\chessboard[inverse]

```




Circle

This style can only be used in connection with fields. The optional argument can be used to fill the circle (default is stroke).

```

\newchessgame
\def\mycenter{d4-e5}
\chessboard[pgfstyle=circle,
  color=red,
  markrank=7,
  linewidth=0.2em,
  markrank=6,
  pgfstyle={ [fill]circle},
  markarea=\mycenter,
  padding=-0.8ex,color=blue,
  backfile=b]


```



Cross

This style can only be used in connection with fields.

```
\newchessgame
\def\mycenter{d4-e5}
\chessboard[pgfsty=cross,
  color=red,
  markrank=7,
  linewidth=0.2em,
  markrank=6,
  shortenstart=0.5ex,
  markarea=\mycenter,
  shortenend=0.5ex,color=blue,
  backfile=b]
```



Text

Text can be used for fields and regions. It is the only style where it isn't enough to simply chose the style, you must also give a value to the text content with the key text (don't confuse the key "text" with the style "text"!).

The option of the style is passed to the optional argument of the `\pgftext` command, so everything that is allowed there can be put in the option. In the definition of the text content you can use informations about the current field or the current region. `\currentbk` e.g. gives the *black king* corner of the region (when you draw in a region) or the field name (when you draw in a field). The opposite corner ist `\currentwq`, the *white queen* corner.

As a default the text is centered on the middle of the field or the region. You can use the options to move it around, please look in the documentation of `pgf` to find out what is possible.




```

\newchessgame
\setchessboard{tinyboard,color=magenta,clearboard}
\chessboard[
  pgfstyle=
    {[base,at={\pgfpoint{0pt}{-0.4ex}}]text},
  text= \fontsize{1.2ex}{1.2ex}\bfseries
    \sffamily\currentwq,
  markboard]

\chessboard[
  inverse,
  pgfstyle=
    {[base,at={\pgfpoint{0pt}{-0.4ex}}]text},
  text=\fontsize{1.2ex}{1.2ex}\bfseries
    \sffamily\currentwq,
  trimtocolor=black, markboard,
  trimtocolor=white,color=green,
  markboard]%

\chessboard[pgfstyle={[rotate=90]text},
  text=
    \fontsize{1.2ex}{1.2ex}
    \bfseries file from \currentwq\ to \currentbk,
  markregions={a1-a8,b1-b8,c1-c8}]%%

```





```

\newchessgame
\setchessboard{tinyboard,color=red}

\chessboard[pgfstyle={[rotate=45]text},
  text=
    \fontsize{1.2ex}{1.2ex}
    \bfseries this is the diagonal
    \currentwq\ to \currentbk,
  markregions=\board]

\chessboard[inverse, pgfstyle={[rotate=45]text},
  text=
    \fontsize{1.2ex}{1.2ex}
    \bfseries this is the diagonal
    \currentwq\ to \currentbk,
  markregions=\board]

```




Color

This style puts a colored square on or under the field or region. At the start it was meant to color the background of the fields (and so it was only defined for the background). If used for the foreground on should set an adequate opacity.

```

\newchessgame
\setchessboard{tinyboard,
  color=orange!80}
\chessboard[boardfontencoding=LSBC5,
  pgfstyle=color,
  trintocolor=black,
  backboard,
  trintocolor=white,
  color=gray!50,
  backboard]%
\chessboard[pgfstyle=color,
  padding=-0.2em,
  opacity=0.5,
  markfiles={a,b},
  markregion={e1-h8}]%

```




Moves

Three styles draw arrows for moves. Two are quite simple: straightmove which draws straight arrows, knightmove which make a curve suited for knight moves.

```

\newchessgame
\chessboard[pgfstyle=straightmove,
  markmove=a1-a8,
  arrow=to,linewidth=0.2ex,
  color=red,
  pgfstyle=knightmove,
  markmoves={g1-f3, e1-h4},
  shortenstart=-1ex,
  markmoves=h1-g3]%

```



curvemove New in version 1.5 there is the more sophisticated curvemove which draws an arbitrary bezier curve between start and end field.

curvemove accept an optional argument in key val syntax. (If you use it, don't forget to put braces around the value!).

First, there are keys that lets you change the support points of the bezier curve. The curve use a local coordinate system: The x-axis goes along the line from the start point to the end point. The x-values set with the keys listed below are relative to the length of this arrow from start to end, while the y-values are absolute (unit it the width of a square). Positive y values give a curve going clockwise, negative y values give a curve going anticlockwise. With the clockwise=false you can change the sign of the y values.


`x1` = $\langle number \rangle$
`x2` = $\langle number \rangle$
`y1` = $\langle number \rangle$
`y2` = $\langle number \rangle$
`clockwise` = $\langle true|false \rangle$

Second, there are keys to change *locally* (only for the curve) the look of the arrow. They work like the keys for `\chessboard` with the same name: `arrow`, `pgfarrow`, `linewidth`, `pgflinewidth`, `shortenstart`, `pgfshortenstart`, `shortenend`, `pgfshortenend`.

At last there is a key `style` which you can use to reuse saved keyval-lists. Until now only `style knight` exists and there is no user command to define new ones. You want to use own keys, sent me either a feature request or do it by defining the low level command:

```
\def\board@pgf@curvemovestyle@<name>{\setkeys[UFCB]{bez}{<keyval-list>}}
```

```
\newchessgame
\def\mystyle{[clockwise=false,style=knight]curvemove}
\chessboard[arrow=latex,
  pgfstyle=straightmove,
  shortenstart=0.1em,
  color=blue,
  linewidth=3pt,
  markmoves={e1-e8},
  pgfstyle={[linewidth=2pt,arrow=to,
    style=knight]curvemove},
  markmove=b1-c3,
  color=red,
  pgfstyle=\mystyle,
  markmoves={b1-c3,b1-a3},
  pgfstyle=curvemove,
  markmoves={e1-g1,h1-f1}]
```



6.1.8 Setting graphic properties

As the previous examples showed you can change quite a lot things of the pictures. Now here a complete description of the needed keys. The keys don't draw anything directly. They only put commands or definitions like `\color{red}`, `\pgfsetfillopacity{0.3}` or `\def\board@pgf@arrow{to}` in the `pgf-picture(s)`.

Let us now start with the keys which put a command in the pictures:

`color=<color>`

`color=red`

`pgfcolor=<color>`


`pgfcolor=red`

This keys stores a color command (`\color{red}`) in the `pgf picture(s)`.

<code>opacity=<number></code>	<code>opacity=0.5</code>
<code>pgfopacity=<number></code>	<code>pgfopacity=0.5</code>
<code>fillopacity=<number></code>	<code>fillopacity=0.5</code>
<code>pgffillopacity=<number></code>	<code>pgffillopacity=0.5</code>
<code>strokeopacity=<number></code>	<code>strokeopacity=0.5</code>
<code>pgfstrokeopacity=<number></code>	<code>pgfstrokeopacity=0.5</code>

This keys add `\pgfsetfillopacity{<number>}` and/or `\pgfsetstrokeopacity{<number>}` to the pgf-picture(s). The number should be between zero and one.

```
\chessboard[padding=-0.5ex,
  color=red,fillopacity=0.5,
  markstyle=circle,markfields=a1,
  markstyle=color,markfields=b1,
  fillopacity=1,
  strokeopacity=0.5,
  pgfstyle=circle,
  markfields=d1,backfield=d8,
  pgfstyle=color,
  markfields=e1,backfield=c8]
```




The following keys puts only a definition in the pgf-pictures. The values will only affect the styles that use the internal commands in their definitions.

<code>padding=<length></code>	<code>padding=0.1ex</code>
<code>pgfpadding=<length></code>	<code>pgfpadding=0.1ex</code>

This keys save `\def\board@pgf@padding{<length>}` to the pgf-picture(s). The value can be used in various situations to change the offset of a line or a border of the area that is covered by a color.

Used currently by the border styles, the styles that color fields in the background or the foreground to enlarge or reduce the covered area and the circle (the length is added to a start diameter).

```
\chessboard[color=red,
  markstyle=circle,markfields=a1,
  markstyle=border,markfields=a3,
  markstyle=color,markfields=a5,
  padding=0.3ex,color=green,
  markstyle=circle,markfields=c3,
  markstyle=border,markfields=c5,
  markstyle=color,markfields=e5,
  padding=-0.3ex,color=blue,
  markstyle=circle,markfields=g3,
  markstyle=border,markfields=g5,
  backstyle=color,backfields=g1]
```



`arrow=<arrow type>`

`arrow=to`


`pgfarrow=<arrow type>`

`pgfarrow=to`

This keys save `\def\board@pgf@arrow{<arrow type>}` to the pgf-picture(s). Styles can use the command to set the arrow tips. Look at the documentation of pgf to learn about the existing arrow types (and how to define new ones).

Default is latex. Used currently by the move styles.

```
\chessboard[markstyle=straightmove,
  markmove=a1-a3,
  arrow=to,
  markmove=b1-b3]
```



`shortenstart=<length>`

`shortenstart=to`

`pgfshortenstart=<length>`

`pgfshortenstart=to`

`shortenend=<length>`

`shortenend=to`

`pgfshortenend=<length>`

`pgfshortenend=to`

`shorten=<length>`

`shorten=to`

`pgfshorten=<length>`

`pgfshorten=to`

This keys save the definitions `\def\board@pgf@shortenstart{<length>}` or `\def\board@pgf@shortenend{<length>}` or both to the pgf-picture(s). The commands can be used e.g. in a `\pgfsetshortenstart` command to shorten a line at the start or the end.

`cornerarc=<length>`

`cornerarc=2pt`

`pgfcornerarc=<length>`

`pgfcornerarc=2pt`

relict


`backcornerarc=<length>`

`backcornerarc=2pt`

The first two keys save `\def\board@pgf@corner{<length>}` to the pgf-picture(s). The last key will save the same definition only to the background picture and it will ignore the value of the `usebackpgf` and `usepgf` keys. `\board@pgf@corner` can be used e.g. in `\pgfsetcornersarced` to round the corners of a border. To get sharp corners use the value 0pt.

The value is used currently only used in the border styles.

```
\chessboard[linewidth=0.3ex,color=red,
padding=1ex,
pgfstyle=border,
backregion=\board,
cornerarc=1ex,
padding=1.5ex,
backregion=\board,
pgfstyle=bottomlefttopborder,
backregion=c3-f6]
```




`addpgf=<(pgf)-commands>`

`addpgf=\pgfsetroundcap`

With this key you can add arbitrary (pgf)-commands to the pictures. Use it with care. When you use the key without an argument it will end a pgf scope and so reset colors and linewidth and some of the other values to their defaults.

```
\chessboard[
showmover=false,
inverse,markstyle=leftborder,
color=red,linewidth=0.3em,
markregion=d3-d5,
color=blue,
addpgf=\pgfsetroundcap,
markregion=e3-e5,
addpgf,
markstyle=cross,
markfield=c4]
```



```
usepgf=<back|mark|all|both|none>
```

```
usepgf
```

With this key you can control in which picture the commands or definitions are saved when using the keys described above.

The default is to save everything in both pictures. This means that it also adds some superfluous code to the other picture, but I don't think this is a problem. In most cases you won't need the key.


6.1.9 A special shortcut key for background border

```
pgfborder=<area>
```

```
pgfborder=c3-e4
```

With this key you can put a border around the area in the background picture. The key saves the current style, calls the `backstyle` and the `backregions` keys to draw the border and then restores the old style. If you don't give a value to the key, the border is around the `printarea`.


```
\newchessgame
\chessboard[%
showmover=false,
border=false,
linewidth=0.4pt,
padding=0.4pt,
pgfborder,
linewidth=1pt,
padding=2pt,
pgfborder]
```



```

\chessboard[
showmover=false,
border=false,
hlabelwidth=0.6em,
vlabellift=1.3em,
printarea=c3-f6,
pgfstyle=cross,
color=red,
linewidth=1ex,
padding=1ex,
pgfborder,
markfield=d4,
color=blue,
linewidth=0.5ex,
padding=2.5ex,
pgfborder,
padding=0ex,
color=green,
trim=false,%to show the next border
pgfborder=\board,
markfield=e5]

```



6.1.10 Special shortcut keys for background color


<code>colorbackboard=<arbitrary></code>	<code>colorbackboard</code>
<code>colorbackarea=<area></code>	<code>colorbackarea=a1-c3</code>
<code>colorbackareas=<list of areas></code>	<code>colorbackareas={a1-c3, f1-f2}</code>
<code>colorbackfile=<file></code>	<code>colorbackfile=h</code>
<code>colorbackfiles=<list of files></code>	<code>colorbackfiles={g,h}</code>
<code>colorbackrank=<rank></code>	<code>colorbackrank=5</code>
<code>colorbackranks=<list of ranks></code>	<code>colorbackranks={8,7}</code>
<code>colorbackfield=<field></code>	<code>colorbackfield=g4</code>
<code>colorbackfields=<list of fields></code>	<code>colorbackfields={b5,c6}</code>
<code>colorwhitebackfields=<list of fields></code>	<code>colorwhitebackfields={b5,c6}</code>
<code>colorblackbackfields=<list of fields></code>	<code>colorblackbackfields={b5,c6}</code>

This keys are shortcuts to color the background of the board. They save the current style, color the fields and then restore the style.

```

\chessboard[
showmover=false,
border=false,
pgfstyle=cross,
color=red!50,
colorwhitebackfields,
markfield=d4,
color=blue!50,
colorblackbackfields,
markfield=e5,
color=green!50,
colorbackarea=d4-e5]

```



6.1.11 Clearing the pgf-pictures

Removing pgf decoration from the board is easy if you used the optional argument of `\chessboard`. But what should you do if you had added e.g. a mark with `\setchessboard` for the next four board and now want to get rid of it for the fifth? That isn't so easy as the code is burried quite deep in a large list.


On the whole there are three possibilities:

- Use grouping to keep the marks local to some boards.

```

\newchessgame
\setchessboard{tinyboard}
{\setchessboard{markstyle=cross,
markranks=4}
\chessboard}%
\chessboard

```





- Store the keys in a style that you can redefine:

```

\newchessgame
\storechessboardstyle{mymarks}
  {markstyle=cross,
   markranks=4}

\setchessboard{style=mymarks}
\chessboard%
\storechessboardstyle{mymarks}{=}
\chessboard

```



- Use the following keys to clear the pgf pictures.

`clearpgf=<arbitrary>` `clearpgf`

`clearbackpgf=<arbitrary>` `clearbackpgf`


`clearmarkpgf=<arbitrary>` `clearmarkpgf`

(I renamed the keys `clearforegroundpgf` and `clearbackgroundpgf`, the older names will work too, but I suggest that you switch to the new ones.)

```

\newchessgame
\setchessboard{tinyboard,
  color=blue,
  opacity=0.6,
  colorblackbackfields,
  color=red,
  markstyle=cross,
  markfiles=h}
\chessboard%
\chessboard[clearmarkpgf]
\chessboard[clearbackpgf]%
\chessboard[clearpgf,
  markstyle=circle,
  markranks=4]
\setchessboard{clearmarkpgf}%
\chessboard

```



6.1.12 Clipping the pgf pictures

<code>clip=<key=value list></code>	<code>clip</code>	<code>false</code>
<code>markclip=<key=value lists></code>	<code>markclip</code>	<code>false</code>
<code>backclip=<key=value lists></code>	<code>backclip</code>	<code>false</code>


With this keys you can add *one* clipping path to each pgf pictures. The clipping paths are always around the print area. The argument of the keys is key-value-list with the possible keys true, false to enable or disable the clipping and the four keys left, top, right and bottom which take as value a length and are used to set the padding.

As in other keys the value true can be omitted, but this also means that you have to use the value false explicitly if you only want to set some of the padding values but not enable clipping.

```

\newchessgame
\setchessboard{
  trim=false,printarea=b2-g7,
  clip={left=0.5ex,top=0.5ex,
        right=-0.5ex,bottom=-0.5ex,
        false},
  %
  border=false,linewidth=0.3em,
  pgfborder,
  %
  pgfstyle=color,
  color=blue!50,
  backrank=6,backfile=c,
  color=red!50,
  markrank=4,markfile=f,
  %
  pgfstyle=text,color=black,
  text=a text in the foreground,
  markfield=b4,
  text=a text in the background,
  backfield=f6}%
\chessboard
\chessboard[markclip]
\chessboard[backclip]
\chessboard[clip]

```



6.1.13 Trimming

Clipping cuts simply through the pgf-pictures and throws everything away that is outside the printarea. This has the drawback that in the picture there could be e.g. remains of a move arrow that started outside the shown board.

Trimming is an attempt for a more intelligent approach: Objects like crosses, circles, text, borders and arrows are discarded completely if they lie partly or completely outside the defined scope of fields.

Trimming to a area

```
trimarea=<area|empty>          trimarea
```



This sets and activates an trimarea. If you omit a value printarea is used. If you don't give an area but use the keyword `empty` everything following the key will be trimmed. If you want to disable trimming use `trimarea=\board` (or `trim=false`). As a default the trimarea is set to the print area (and so activated).

The value of `trimarea` will affect all *following* objects drawn with the `pgfstytle` and the related `mark...` and `back...` keys.

Field related objects will be drawn if the field lies in the area. Region related objects will be drawn if the complete region lies in the area. Move related objects will be drawn if the complete move lies in the area.

```
\newchessgame
\setchessboard{pgfstytle=color,
  color=blue!50,
  backrank=6,
  trimarea=\myarea,
  backrank=5,
  pgfstytle=border,
  color=red,
  markregion=d4-d5,%will disappear
  pgfstytle=knightmove,
  color=yellow,
  markmove=f6-e4,
  markmove=f7-d5%will disappear
}
\def\myarea{a1-h8}% nothing trimmed
\chessboard


\def\myarea{d4-f6}% some deco will disappear
\chessboard
```



```

\newchessgame
\setchessboard{pgfstyle=color,
  color=blue!50,
  backrank=6,
  trimarea=\myarea,
  backrank=5,
  pgfstyle=border,
  color=red,
  markregion=d4-d5,
  markregion=c3-d5,%will disappear
  pgfstyle=knightmove,
  color=yellow,
  markmove=f6-e4,
  markmove=f7-d5%will disappear
}
\def\myarea{empty}
\chessboard

```




As shown in the previous examples you can set a manual trimarea. But you should be aware that you can get unexpected results if this area is larger than the printarea:

```

\chessboard[printarea=d4-e5,
  trimarea=c4-g4,
  pgfstyle=color,
  trimto color=white,
  color=red,
  backboard]

```



`captrimtoprint=<true|false>`


`captrimtoprint=true`

With this key you can force the *following* trimarea commands to respect the printarea.

```

\chessboard[printarea=d4-e5,
  trimarea=c3-f6,
  captrimtoprint,
  pgfstyle=border,
  color=red,
  backboard,
  trimarea=c3-f6,%now captrimtoprint
  %has an effect
  pgfstyle=cross,
  color=green,
  backboard]

```



`trim=<true|false>`

`trim=true`


This is a shorter version of trimarea. It can only be used to set the trimarea to printarea (true) or the complete board (false).

```

\newchessgame
\mainline{1. e4 e5 2. Nf3 Nc6 3. Bb5 a6}
\setchessboard{linewidth=0.1em, border=false,
  label=false, showmover=false}
\chessboard[printarea=a5-d8,
  padding=0.25em,
  trim=false,
  shortenend=-1ex,
  pgfstyle=rightborder,
  markregion=d1-d8,
  padding=-0.25em,
  pgfstyle=topborder,
  markrank=4,
  marginrightwidth=0.5em,
  marginbottomwidth=0.5em]%
\chessboard[printarea=e5-h8,
  marginleftwidth=0em,
  marginbottomwidth=0.5em]%%
\chessboard[printarea=a1-d4,
  margintopwidth=0em,
  marginrightwidth=0.5em]%
\chessboard[printarea=e1-h4,
  margintopwidth=0em,
  marginleftwidth=0em]%

```

1 e4 e5 2 ♞f3 ♞c6 3 ♝b5 a6



Trimming to the white or black fields


`trimtocolour=<white|black>false>` `trimtocolour`

The key affects only the field related pgf-objects. Regions and moves will ignore it. The key `applycolor` from previous versions has now a similar effect⁷. This means that the key has changed its behaviour: it will now affect also the foreground picture!

```


\chessboard[printarea=c3-f6,
  trim, %not really needed, default
  pgfstyle=color,
  trimtocolour=white,
  color=red,
  backboard,
  trimarea=b2-g7,
  trimtocolour=black,
  color=gray!50,
  backboard]

```




⁷I couldn't retain the older behaviour due to the changes made in the code.


```
\chessboard[printarea=f3-c6,
padding=.3ex,
trintocolor=white,
color=blue,
pgfstyle=cross,
backranks=5,
color=yellow,
trintocolor=black,
trim=false,
backfiles={d,e}]
```



```
\chessboard[padding=.3ex,
printarea=f3-c6,
trintocolor=white,
color=blue,
pgfstyle=text,
text=\tiny\bfseries white,
markboard,
color=yellow,
trintocolor=black,
text=\tiny\bfseries black,
markboard]
```



```
\chessboard[inverse, printarea=a2-g7,
boardfontencoding=LSB2,
color=lightgray!50,
trintocolor=white,
colorbackboard,
color=gray!60,
trintocolor=black,
colorbackboard]
```



6.2 Using a graphic as background

It isn't really difficult to use a graphic as background of the board. You must use a boardfont encoding that hasn't fields and fieldmasks. And then you must use trial and error to find out which scalefactor and which viewport is fine. There is absolutely no way to do this automatically as the border of the board in the graphic is unknown. If you change the board size or the size of the left margin, you will have to adjust the values.

```

\newchessgame
\includegraphics
[scale=0.477,viewport=-20 17 -20 17]
{brett}%
\chessboard[showmover=false,
border=false,
label=false,
boardfontencoding=L5BC5,
boardfontsize=20pt,
whitepiececolor=brown!70,
blackpiececolor=black,
setfontcolors]

```



6.3 Using the commands of the package skak

When used with the option `ps` the package `skak` puts in the middle of the right bottom field (that is either `h1` or `a8`) a postscript node with the name `BM`. The highlighting commands of the package `skak` use this node.

To be able to use the commands also with `\chessboard` you must load the package `skak` with the option `ps`.

As arguments in the commands of the package `skak` you can only use the fields of a 8x8-board.

<code>psset=<true false></code>	<code>psset</code>	<code>false</code>
---------------------------------------	--------------------	--------------------

This key sets the node `BM` at the place where the package `skak` expect it, *and it sets the psunits to the size of the board*. This can affect other `pspictures` as the changes are made after the board and so aren't local to the board (the commands of the package `skak` must have a fighting chance to get the correct values).

<code>psskak=<true false></code>	<code>psskak</code>	<code>false</code>
--	---------------------	--------------------


This key redefines some internal commands of the package `skak`. I had to do it in order to get the highlighting commands to work. I don't think that it will destroy anything but didn't want to activate the changes unasked. The changes are also *not* local to the board (but local to the group).

```

\documentclass[parskip]{scrartcl}
\usepackage[T1]{fontenc}
\usepackage[ps]{skak}
\usepackage{chessboard}

\pagestyle{empty}
\begin{document}
\newchessgame
\chessboard[psskak,psset,pgf=false,
            inverse]
\ifpdf\else
\highlight[X]{c4}
\highlight[o]{a8}
\highlight[O]{g1}
\printknightmove{g8}{f6}
BM\node{A}\ncline{->}{A}{BM}
\fi
\end{document}

```



6.4 Intelligent highlighting

`\chessboard` doesn't know anything about chess rules. It can't do things like “show me the possible moves of the rock”, “show me the allowed moves” or “highlight the last move”. But as the examples show it accepts commands as arguments in the highlighting keys, so it can use the intelligence of external commands or applications. E.g. highlighting of the last move would be easy if the package `skak` would somehow save the last from-field and the last to-field – something it doesn't do now.

7 Extending the game

7.1 Adding new pieces

`\cbDefineNewPiece` With this command you can add new pieces that can be used on the board.

```

\cbDefineNewPiece[game]{color}{char}{on white}{on black}

```

The optional argument *<game>* has not much use yet as there is only one sensible value skak which is the default anyway. So leave it out.

<color> should be either *white* or *black*, it will put the character in the list used by e.g. the key *hidewhite*.




<char> is the character used in FEN and the other input arguments. Use a uppercase char for white pieces and a lowercase char for the black pieces or the keys like *addwhite* won't work correctly.

<on white> and *<on black>* should contain the commands needed to print the piece on white and black fields. The symbols should be scalable. So you should either use symbols from a font or use some resizing command from the *graphicx* package.

```

\makeatletter
\cbDefineNewPiece{white}{C}
{\raisebox{\depth}{\cfss@whitepiececolor
  $\heartsuit$}}
{\BlackEmptySquare%
  \makebox[0pt][r]{\cfss@whitepiececolor
  \raisebox{\depth}{%
    \makebox[1em]{$\heartsuit$}}}}
\cbDefineNewPiece{black}{c}
{\raisebox{\depth}{\cfss@blackpiececolor
  $\clubsuit$}}
{\BlackEmptySquare%
  \makebox[0pt][r]{\cfss@blackpiececolor
  \raisebox{\depth}{%
    \makebox[1em]{$\clubsuit$}}}}
\makeatother
\setchessboard{tinyboard,
  addpieces={cd4,Ce5},addwhite={ca1,Cb1},
  addblack={ca8,Cb8}}
\chessboard[addpieces={cd4,Ce5,Ke4}]
\chessboard[hidewhite]
\chessboard[boardfontencoding=LSB3,
  whitepiececolor=red,blackpiececolor=blue,
  setfontcolors,color=lightgray,
  trimtocolor=black,colorbackboard]

```



7.2 Using \chessboard for other games

I have tried to prepare \chessboard for other games. A lot of internal commands can be changed simply by changing the “name of the game”. Up to now there isn't another game, so I don't know if this will really work.

It should be easy to make boards for checkers if I find a font somewhere. Chinese chess is a bit more complicated as one would have to decide how to make the background lines. Go is more complicated as the pieces are sometimes numbered, I don't know yet if I could

implement a good input handling – but as there is a quite good package named igo I don't think I will really look into it.

The main problem in any cases is the missing partner: The package chessboard isn't "intelligent". As already mentioned above it doesn't know anything about the rules of chess. To be able to show "the running game" it needs a partner that does the calculation.

8 Compability with other packages

8.1 skak

The package chessboard works fine with the package skak. You can use `\chessboard` everywhere instead of `\showboard` etc.

8.2 texmate

The new texmate version use the package skak to follow the game. There is no problem to use `\chessboard` where the manual suggest `\showboard`. texmate also defines its own diagram commands. They use internaly `\showboard`. I haven't made much tests until now, but it looks like after a simple `\let\showboard\chessboard` you can use `\chessboard` instead. The main problem is that you can't use the argument of `\chessboard`. You will have to set the board properties with `\setchessboard`.

8.3 beamer

I wouldn't have thought it, but I had no problem to use `\chessboard` with beamer.

The following listing shows an example. If your pdf-reader can handle annotations you can see the result in the attached file: 

```
\documentclass{beamer}
\usepackage[T1]{fontenc}
\usepackage{chessboard, skak}
\begin{document}

\begin{frame}
\newchessgame
\only<1->{\setchessboard{hideall,showmover=false}}
\only<2->{\setchessboard{showpieces={p,P}}}
\only<3->{\setchessboard{showpieces={K,k}}}
\only<4->{\setchessboard{showpieces={Q,q}}}
```

```

\only<5->{\setchessboard{showpieces={R,r}}}
\only<6->{\setchessboard{showpieces={B,b}}}
\only<7->{\setchessboard{showpieces={N,n}}}
\chessboard
\end{frame}

\begin{frame}
\newchessgame\setchessboard{markstyle=border,color=blue}
\only<1>{\mainline{1.e4}}
\only<1>{\setchessboard{markfields=e4}}
\only<2>{\hidemoves{1.e4}\mainline{1... e5}}
\only<2>{\setchessboard{markfields=e5}}
\only<3>{\hidemoves{1.e4 e5}\mainline{2. Nf3}}
\only<3>{\setchessboard{markfields=f3}}
\only<4>{\hidemoves{1.e4 e5 2.Nf3}\mainline{2... Nc6}}
\only<4>{\setchessboard{markfields=c6}}

\chessboard
\end{frame}
\end{document}

```

8.4 animate

It also possible to use animate to get “moving” boards (you need a recent pdf-viewer to see the effect). But it is quite tiresome to input all the moves. That’s why I wrote the package xskak. It offers a possibility to store all positions of a game with the package skak and then to loop through them. For an example please read the documentation of xskak. Here an example of the more tiresome input:

```

\newchessgame
\unitlength1pt
\newcommand\currentboard{%
\begin{picture}(150,150)
\put(10,10){\chessboard}
\end{picture}}
\begin{animateinline}[autoplay,loop]{1}%
\currentboard
\newframe\hidemoves{1.e4}%
\currentboard
\newframe\hidemoves{1... e5}%
\currentboard
\newframe\hidemoves{2. Nf3}%
\currentboard

```

```

\newframe\hidemoves{2... Nc6}%
\currentboard
\newframe\hidemoves{3.Bb5}%
\currentboard
\newframe\hidemoves{3... a6}%
\currentboard
\end{animateinline}

```

Index

A		<code>\board – hdclindex10usage</code>	8
<code>addblack</code>	13	<code>boardfontencoding</code>	24
<code>addfen</code>	13	<code>boardfontfamily</code>	23
<code>addfontcolors</code>	29	<code>boardfontseries</code>	24
<code>addpgf</code>	58	<code>boardfontsize</code>	23
<code>addpieces</code>	12	<code>border</code>	21
<code>addwhite</code>	13	<code>border (style)</code>	49
<code>applycolor (obsolete)</code>	67	<code>bottomborder</code>	49
<code>arrow</code>	56	<code>bottomleftborder</code>	49
B		<code>bottomlefttopborder</code>	49
<code>backarea</code>	45	<code>leftborder</code>	49
<code>backareas</code>	45	<code>lefttopborder</code>	49
<code>backboard</code>	45	<code>lefttoprightborder</code>	49
<code>backclip</code>	63	<code>rightborder</code>	49
<code>backcornerarc</code>	58	<code>rightbottomborder</code>	49
<code>backfield</code>	45	<code>rightbottomleftborder</code>	49
<code>backfields</code>	45	<code>topborder</code>	49
<code>backfiles</code>	45	<code>toprightborder</code>	49
<code>backlinewidth</code>	57	<code>toprightbottomborder</code>	49
<code>backmove</code>	47	<code>borderbottom</code>	21
<code>backmoves</code>	47	<code>borderbottomcolor</code>	22
<code>backrank</code>	45	<code>borderbottomwidth</code>	21
<code>backranks</code>	45	<code>bordercolor</code>	22
<code>backregion</code>	46	<code>borderleft</code>	21
<code>backregions</code>	46	<code>borderleftcolor</code>	21
<code>backstyle</code>	48	<code>borderleftwidth</code>	21
<code>blackfieldcolor</code>	28	<code>borderright</code>	21
<code>blackfieldmaskcolor</code>	28	<code>borderrightcolor</code>	22
<code>blackonblackpiecemaskcolor</code>	28	<code>borderrightwidth</code>	21
<code>blackonwhitepiecemaskcolor</code>	28	<code>bordertop</code>	21
<code>blackpiececolor</code>	29	<code>bordertopcolor</code>	22
<code>blackpiecemaskcolor</code>	28	<code>bordertopwidth</code>	21
		<code>borderwidth</code>	21

C			
caprintoprint	66	colorbackfile	60
castling	15	colorbackfiles	60
\cbDefineLanguage – hdclindex12usage	18	colorbackrank	60
\cbDefineMoverStyle – hdclindex16usage	37	colorbackranks	60
\cbDefineNewPiece – hdclindex24usage	70	colorblack (obsolete)	29
\cbDefinePgfFieldStyle – hdclindex18usage	48	colorblackbackfields	60
\cbDefinePgfMoveStyle – hdclindex22usage	48	coloremph	30
\cbDefinePgfRegionStyle – hdclindex20usage	48	coloremphstyle	30
\cbDefineTranslation – hdclindex14usage	18	colorpieces (obsolete)	31
\cblist<piece>	16	colorwhite (obsolete)	29
\chessboard – hdclindex2usage	2	colorwhitebackfields	60
circle (style)	50	cornerarc	57
fill (option)	50	cross (style)	51
cleararea	12	\currentbk	51
clearareas	12	\currentbq	51
clearbackgroundpgf (obsolete) <i>see</i> clearbackpgf		\currentwk	51
clearbackpgf	62	\currentwq	51
clearboard	12	curvemove (style)	53
clearfield	12	arrow (key)	54
clearfields	12	clockwise (key)	53
clearfile	12	linewidth (key)	54
clearfiles	12	pgfarrow (key)	54
clearfontcolors	28	pgflinewidth (key)	54
clearforegroundpgf (obsolete) <i>see</i> clearmarkpgf		pgfshortenend (key)	54
clearmarkpgf	62	pgfshortenstart (key)	54
clearpgf	62	shortenend (key)	54
clearrank	12	shortenstart (key)	54
clearranks	6, 12	style (key)	54
clip	63	x1 (key)	53
bottom (subkey)	63	x2 (key)	53
false (subkey)	63	y1 (key)	53
left (subkey)	63	y2 (key)	53
right (subkey)	63		
top (subkey)	63	E	
true (subkey)	63	empharea	31
color	54	emphareas	31
color (style)	52	emphboard	31
colorbackarea	60	emphfield	31
colorbackareas	60	emphfields	31
colorbackboard	60	emphfile	31
colorbackfield	60	emphfiles	31
colorbackfields	60	emphrank	31
		emphranks	31
		emphstyle	30
		enpassant	15

F		labelbottomformat	35
fieldcolor	28	labelbottomlift	34
fieldmaskcolor	28	labelfont	34
fillarea	14	labelfontsize	34
fillopacity	55	labelformat	35
fontsize	23	labelleft	33
fullmove	15	labelleftfont	34
G		labelleftformat	34
getpiecelists	16	labelleftlift	33
H		labelleftwidth	33
halfmove	15	labelright	33
hborder	21	labelrightfont	34
hbordercolor	22	labelrightformat	34
hborderwidth	21	labelrightlift	33
hideall	40	labelrightwidth	33
hidearea	39	labeltop	33
hideareas	39	labeltopfont	34
hideblack	40	labeltopformat	35
hideboard	39	labeltoplift	33
hidefield	40	language	18
hidefields	40	largeboard	23
hidefile	39	linewidth	57
hidefiles	39	loadfen	16
hidepiece	40	M	
hidepieces	40	margin	20
hiderank	40	marginbottom	20
hideranks	40	marginbottomwidth	20
hidewhite	40	marginleft	20
hlabel	33	marginleftwidth	20
hlabelfont	34	marginright	20
hlabelformat	35	marginrightwidth	20
hlabelleft	33	margintop	20
hlabelwidth	33	margintopwidth	20
hmargin	20	marginwidth	20
hmarginwidth	20	markarea	45
I		markareas	45
inverse	39	markboard	45
K		markclip	63
knightmove (style)	53	markfield	45
L		markfields	45
label	33	markfiles	45
labelbottom	33	marklinewidth	57
labelbottomfont	34	markmove	47
		markmoves	47
		markrank	45
		markranks	45

markregion	46		
markregions	46		
markstyle	48		
maxfield	10		
mover	15, 35		
moverbottomlift	36		
moverbottomshift	37		
moverlift	36		
movershift	37		
moversize	36		
moverstyle	37		
moverbottomlift	36		
moverbottomshift	37		
		N	
normalboard	23		
		O	
onblackpiecemaskcolor	28		
onwhitepiecemaskcolor	28		
opacity	54		
		P	
padding	55		
pgf	43		
pgfarrow	56		
pgfborder	59		
pgfcolor	54		
pgfcornerarc	58		
pgffillopacity	55		
pgflinewidth	57		
pgfopacity	55		
pgfpadding	55		
pgfshorten	56		
pgfshortenend	56		
pgfshortenstart	56		
pgfstrokeopacity	55		
pgfstyle	48		
piececolor	29		
piecemaskcolor	28		
print	38		
printarea	38		
\printarea – hdclindex8usage	8		
psset	69		
psskak	69		
		R	
restorefen	16		
		S	
savefen	15		
scope	58		
setblack	13		
\setchessboard – hdclindex4usage	6		
setfen	13		
setfontcolors	29		
setpieces	12		
setwhite	13		
shorten	56		
shortenend	56		
shortenstart	56		
showall	41		
showarea	41		
showareas	41		
showblack	41		
showboard	41		
showfield	41		
showfields	41		
showfile	41		
showfiles	41		
showmover	35		
showpiece	41		
showpieces	41		
showrank	41		
showranks	41		
showwhite	41		
smallboard	23		
startfen	14		
startfill	14		
startprint	38		
startstore	15		
stopfill	14		
stopprint	38		
stopstore	15		
storearea	15		
\storechessboardstyle – hdclindex6usage	7		
storefen	15		
straightmove (style)	53		
strokeopacity	55		
style	7		
		T	
text (style)	51		
options	51		
tinyboard	23		
trim	66		

trimarea	65	vmargin	20
trimtocolor	67	vmarginwidth	20
U		W	
usepgf	59	whitefieldcolor	28
V		whitefieldmaskcolor	28
vborder	21	whiteonblackpiecemaskcolor	28
vbordercolor	22	whiteonwhitepiecemaskcolor	28
vborderwidth	21	whitepiececolor	29
vlabel	33	whitepiecemaskcolor	28
vlabelfont	34	Z	
vlabelformat	35	zero	6, 11
vlabellift	34		